is this recorded?

STATE OF NEW YORK
DEPARTMENT OF TRANSPORTATION

# SOIL MECHANICS BUREAU







MARS, MANAGEMENT, ACCOUNTING AND
REPORTING SYSTEM PROGRAM

JUNE 1986

SM 238b (1/73)

# MANAGEMENT, ACCOUNTING AND REPORTING SYSTEM PROGRAM

NEW YORK STATE

DEPARTMENT OF TRANSPORTATION

SOIL MECHANICS BUREAU

ROADWAY FOUNDATION SECTION

# MANAGEMENT, ACCOUNTING AND REPORTING SYSTEM PROGRAM

Version 1.00, JUNE 1986

A DBASE III program

developed by:

Richard Garrabrant, Assistant Soils Engineer

# TABLE OF CONTENTS

# I. INTRODUCTION

## A) ABSTRACT

This manual provides assistance to users running the MARS, "Management, Accounting and Reporting System Program". MARS is a management reporting system which utilizes dBASE III software. The program organizes pertinent information for all design projects. This data base includes the project name, PIN, designers name, important dates and manpower expenditures on each job. This program is written for use on an IBM PC-AT microcomputer.

## I. B) PROGRAM DESCRIPTION AND HARDWARE REQUIREMENTS

PROGRAM NAME: MARS, "Management, Accounting and Reporting System"

DESCRIPTION: The program is two fold. The first part revolves around design project information. This information consists of the project description, P.I.N., senior and designers names, pertinent dates and design information required to effectively manage a design project.

The second part of the program tracks project man-hours expended each pay period by each designer in the section. Project man-hours are entered into the computer directly from the employees timesheet.

AUTHOR: Richard Garrabrant, Assistant Soils Engineer

DATE: June 1986

OPERATING SYSTEM: DOS 3.0

PROGRAM LANGUAGE: dBASE III

HARDWARE: IBM PC-AT, 512 KB system memory, 2 disk drives, monitor and printer.

## II. GETTING STARTED

### A) TURNING THE SYSTEM ON

Procedure to turn on the computer system and load the dBASE III program.

1) Unlock the system unit.
2) Turn the printer on. A rocker type switch is located on the back left side above the power cord.
3) Turn the monitor on. The switch is located on the right front side.
4) Turn the computer on. The red flip switch is located on the right side. The computer will "boot" or turn on. It will tell you the time and date. Press enter to accept these or type in the correct information.
5) C > will appear on the screen. This C > is called the D.O.S. prompt. DOS stands for Disk Operating System. DOS is an internal program that allows the computer to communicate with the hard disk, the disk drives, the monitor, and the printer. "C" means that the computer is working out of the C drive (also referred to as the hard disk or permanent memory).
6) There are 3 models of IBM PC-AT microcomputer in the Soil Mechanics Bureau. These models vary in that they have different types of disk drives. The first model shall be referred to as Type I IBM PC-AT, the second model shall be referred to as Type II IBM PC-AT, and the third as Type III IBM PC-AT.

II. B) DEFINITION: IBM PC-AT "TYPES"

Type I — The Type I IBM PC-AT microcomputer has 1 high capacity disk drive and 1 double sided, double density disk drive. The high capacity disk drive or A disk drive is located at right top face of the system unit. This disk drive can store up to 1.2 megabytes of data. The double sided, double density disk drive or B disk drive is located beneath the high capacity drive (A drive). This B drive is identified by the presence of an asterik located in the lower right hand corner on the face of the drive. This B disk drive can store up to 360 kilabytes of data. For reference, disk types and drive compatability are described in Appendix B.

Type II — The Type II IBM PC-AT microcomputer has 2 high capacity disk drives. Both the A and the B disk drives are capable of storing up to 1.2 MB of information. Only high capacity diskettes should be utilized with this type of microcomputer.

Type III — The Type III IBM PC-AT microcomputer has 1 high capacity disk drive and 2 fixed disks.

## II. C) LOCATION AND TYPE OF IBM PC-AT

| Location | Type |
|---|---|
| Structure Foundation Section | I * |
| General Soils Laboratory | I |
| Specifications and Standards Section | II |
| Specifications and Standards Section | III |

* The IBM PC-AT located in the Structure Foundation Section has dBASE III permently stored on the C drive.

## II. D) LOADING dBASE III

dBASE III may be loaded on the Structure Foundation Section microcomputer by typing the following command at the C prompt (DOS prompt). C > DBASE (press enter). The remaining microcomputers located in the General Soils Laboratory and Specifications and Standards Section load dBASE III in the following manner.

First you must get to the A > (this letter - symbol combination is called the A prompt). If the C > (C prompt) is on the screen, type A: (press enter), and A > will appear. If the B > is on the screen type A: (press enter) and A > will appear.

To load dBASE III. Insert the System Disk #1 into the A drive type A > DBASE and press enter. Follow the directions or the screen. This requires that you remove the System Disk #1 and place the System Disk #2 in the A drive and press enter. Do not remove the system disk when the red light is on for the A drive. Keep the System Disk #2 in the A drive while using dBASE III.

The dBASE III program loads into the computer and responds with a sign-on identification and copywright notice, then it requests a command, with the cursor next to the "dBASE III dot prompt".

. Flashing Cursor

dBASE III version 1.10 IBM/MSDOS ***



Use of this software and the other materials contained in the software package (the "Materials") has been provided under a Software License Agreement (please read in full). In summary, Ashton-Tate grants you a paid-up, non-transferrable, personal license to use the Materials only on a single or subsequent (but not additional) computer terminal for fifty years from the time the sealed disk has been opened. You receive the right to use the Materials, but you do not become the owner of them. You may not alter, decompile, or reverse-assemble the software, and YOU MAY NOT COPY the Materials. The Materials are protected by copyright, trade secrets, and trademark law, the violation of which can result in civil damages and criminal prosecution.

dBASE, dBASE III and ASHTON-TATE are trademarks of Ashton-Tate.

Press the F1 key for help
Type a command (or ASSIST) and press the return key (↵).

. dBASE III dot prompt

Whenever you see the cursor next to this dot, you can enter commands and get an immediate, interactive response from dBASE III. We will show entries in uppercase, but you can use either uppercase or lowercase letters.

. CLEAR (press enter)

This command clears the screen whenever you see the dot prompt.

The user tells the computer where data files are located (on A, B, C or D) drives by setting a default drive.

. SET DEFAULT TO A: (press enter)

Insert the MARS data disk in the A drive.

Use this command for the the microcomputer located in the Structure Foundation Section. This is the Type I microcomputer which has dBASE III permanently stored on the C drive.

For the TYPE II microcomputer.

Type this command:

. SET DEFAULT TO B: (press enter)

Insert the MARS data disk in the B drive.

Note: The type I micro located in the General Soils Laboratory should not be utilized since most of our files are stored on high capacity diskettes and you cannot use them in the double sided, double-density drive (B drive).

For the Type III microcomputer. Type this command:

. SET DEFAULT TO C: (press enter)

. SET PATH TO C: \ DBASE (press enter)

The user can select not to hear a bell ring or "beep" after each data entry is completed by typing the following command at the dot prompt:

. SET BELL OFF (press enter)

. SET BELL ON (press enter) (if you want to hear a beep).

You can end a dBASE III session at anytime by entering

. QUIT (enter) at the dot prompt.

Typing QUIT and pressing the ENTER key takes you back to either the A> or C> depending on which microcomputer you are using.

If you make typing errors when entering instructions for dBASE III and catch the error before you press the return key, just backspace to the error and correct it. The backspace key is located on the top right hand side of the keyboard area above the enter key. If you pressed the return key, also referred to as the enter key, dBASE III will let you know that it does not understand with an error message similar to the following:

Unrecognized command

Unrecognized phrase

Syntax error

Variable not found

Data type mismatch

At the same time, it may ask

Do you want some help? (Y/N)

If you want to get to the Help file when you see this message, press Y. If not, enter N. Your cursor will appear next to the dot prompt, and you can simply enter the command correctly.

To see what database files are on the data disk: Type:

.DIR *.* (press enter)

This DIR command is an abbreviation for directory. Besides the file names, the DIR listing tells you how many records are in each file, when it was last updated, and how much space you have left on the disk you are using. If you entered a system date when you powered up, dBASE III will enter that as the last update whenever you modify the information in a file.

---

```
. DIR *.*
INVENTOR.DBF    SCREEN.PRG      COMMAND.COM     DATINP.FMT
REPPRG.PRG      SECTION1.FRM    DIRECT.FRM      INLOCAT.NDX
CONFIG.SYS      DBASE.OVL       BERNE.BAK       ASSIST.HLP
HELP.DBS        CONFIG.DB       MENU4.PRG       INPUT2.PRG
MENU2.PRG       EDIT2.PRG       MENU1.PRG       INFUNC.NDX
INCAT.NDX       INPIN.NDX       INSTAT.NDX      INEMP.NDX
REGION.BAK      REGION.FRM      PROSTAT.FRM     REGION.DBF
PRITN.TXT       LEAVE.FRM       MANPOWER.DBF    BERNE.FMT
SMART.FRM       PROJECT.DBF     CHARGE.BAK      WALT.BAK
INBER.NDX       LEAVE.DBF       SEARCH.BAK      INDEX.PRG
MENU2.BAK       RAG.BAK         INPLOY.NDX      CHARGE.FMT
WALT.FMT        INPUT2.BAK      SEARCH.PRG      EDIT2.BAK
RAG.PRG         INPART.NDX      JOHN.NDX        SWIFT.NDX
MANPOWER.BAK    MENU1.BAK       JOHN.FRM        CHECK.NDX
MENU4.BAK       PAY.NDX         MFUNC.NDX       CONFIG.BAK
INDEX.BAK       OUTPUT.BAK      OUTPUT.PRG

 375202 bytes in    63 files.
 828416 bytes remaining on drive.
.
```

# III. MARS

## A) LOADING THE "MARS" PROGRAM:

At the dot prompt Type: . DO MENU1 (press enter)

The following text appears on the screen:

```
**********************************************************
*                                                        *
*        NEW YORK STATE DEPARTMENT OF TRANSPORTATION     *
*                                                        *
*    SOIL MECHANICS BUREAU - ROADWAY FOUNDATION SECTION  *
*                                                        *
*               MANPOWER REPORTING SYSTEM                *
*                                                        *
**********************************************************

                  **** MAIN MENU ****


                  (1) ... ADD DATA

                  (2) ... EDIT DATA

                  (3) ... PRINT REPORTS

                  (4) ... QUIT

ENTER YOUR CHOICE __
```

The Main Menu presents four options to the user. Selecting option one allows the user to enter either management or project man-hour data. Option two allows the user to edit both management and the project man-hour files. Option three generates reports on the printer. Option four allows the user exit from the MARS program and return to the dBASE III dot prompt.

E) PROGRAM DATA INPUT REQUIREMENTS

1. "PROJECT DATA"

The following project data is obtained from the Roadway Foundation Section's supervisor, the appropriate senior and designer.

1) Category; (either Design, Instrumentation or Research & Development).
2) Project Name, (up to 35 characters).
3) P.I.N.; (enter the complete P.I.N., i.e. 2378.13.121)
4) Current pay period number.
5) Function Code for the P.I.N.
6) Status; (either New, Active, Inactive, Backlog or Completed).
7) Senior's initials; (3 initials).
8) Designer's initials; (3 initials).
9) Date project received; (i.e. type 06/01/86 for June 1, 1986.)
10) P.S.&E.
11) Date plans received; (i.e. 01/06/86)
12) Date borings received.
13) Date laboratory data received.
14) Target completion date.
15) Date design work started.
16) Date design work completed.
17) Number of problems in.
18) Number of problems out.
19) Comments on the project; (up to 254 characters).

## II. E) PROGRAM DATA INPUT REQUIREMENTS

### 2. "MAN-POWER EXPENDITURES DATA"

The following data is taken directly from each employees time sheet and entered into the computer:

1) Employee initials
2) Pay period number
3) Function code
4) P.I.N.
5) Man-hours spent on the design project

Research and Development projects require that the function code plus a special coding (A-Z), be entered into the file. This coding is described in a B. E. Butler memorandum dated June 4, 1986 and located in Appendix C.

Selecting option #1, "ADD DATA" from the Main Menu, the following text appears on the screen:

```
**********************************
*                                *
*      ... DATA ENTRY MENU ...   *
*                                *
**********************************

     (1) ... ENTER MANAGEMENT DATA

     (2) ... ENTER PROJECT MAN-HOURS

     (3) ... RETURN TO MAIN MENU

ENTER YOUR CHOICE __
```

flashing cursor

Selecting option #1, "ENTER MANAGEMENT DATA" presents the following screen.

```
            CATEGORY: DESIGN
PROJECT DESCRIPTION: I-81, HIAWATHA BLVD.
              P.I.N.: 3298.00.313          FUNCTION CODE: E303
  PAY PERIOD NUMBER: 2                          STATUS: NEW
  SENIOR'S INITIALS: EDK          DESIGNER'S INITIALS: JER
PROJECT RECEIVED ON: 01/01/86                   PS&E: 01/01/88
     PLANS RECEIVED:  /  /       BORINGS RECEIVED:  /  /
  LAB DATA RECEIVED:  /  /    TARGET COMPLETION DATE:  /  /
     DESIGN STARTED:  /  /        DESIGN COMPLETED:  /  /
 NUMBER PROBLEMS IN: 1          NUMBER PROBLEMS OUT: 0
           COMMENTS: BORING PROGRAM ONGOING
```

The user then enters the required data. To save the changes or additions made to the file, press and hold the CTRL key, simultaneously press the letter key "W" then release both keys at the same time.

To exit without saving changes made to a file; press the ESC Key.

Various other control keys which are commonly used are discussed in Appendix A.

The Data Entry Menu appears on the screen and the user may select to return to the Main Menu or to enter project man-hours.

Selecting option #2 "ENTER PROJECT MAN-HOURS" presents the following text on the screen:

PAY PERIOD: 2

FUNCTION CODE: E304 P.I.N.: 3298.00.313

SENIOR'S INITIALS: EDK MANHOURS FOR SENIOR: 00.00

DESIGNER'S INITIALS: JER MANHOURS FOR DESIGNER: 30.00

The user enters the requested data and saves it by pressing either the CTRL-W or CTRL-END keys. These multi-key commands return you to the "DATA ENTRY MENU".

The user may then return to the Main Menu by selecting option #3 "RETURN TO MAIN MENU".

At the MAIN MENU the user may select to edit data existing in either management or project man-hour files. Choosing option #2 "EDIT DATA" presents the following screen:

```
**********************************
*                                *
*******...DATA EDITING MENU...******
*                                *
**********************************

     (1) ... EDIT MANAGEMENT DATA

     (2) ... EDIT PROJECT MAN-HOURS

     (3) ... RETURN TO MAIN MENU

ENTER YOUR CHOICE __
```

Selecting option #1 "EDIT MANAGEMENT DATA" presents the following on the screen.

```
ENTER THE FUNCTION CODE:  E301

ENTER THE PIN FOR THE PROJECT:  1089.34.122
```

The user types in the appropriate function code and P.I.N. for the project and the computer finds that job file.

The following file information appears on the screen. The user can now change the desired data.

| | | | |
|---|---|---|---|
| CATEGORY: | DESIGN | | |
| PROJECT DESCRIPTION: | RTE. 4 & 197 BRIDGES | | |
| P.I.N.: | 1089.34.122 | FUNCTION CODE: | E301 |
| PAY PERIOD NUMBER: | 2 | STATUS: | ACTIVE |
| SENIOR'S INITIALS: | EDK | DESIGNER"S INITIALS: | JSD |
| PROJECT RECEIVED ON: | 01/01/85 | PS&E: | 06/01/87 |
| PLANS RECEIVED: | / / | BORINGS RECEIVED: | / / |
| LAB DATA RECEIVED: | / / | TARGET COMPLETION DATE: | / / |
| DESIGN STARTED: | / / | DESIGN COMPLETED: | / / |
| NUMBER PROBLEMS IN: | 1 | NUMBER PROBLEMS OUT: | 0 |
| COMMENTS: | Alignment change. New studies will be required. | | |

Save changes by pressing the CTRL-W keys.

Selecting option #2 "EDIT PROJECT MAN-HOURS" presents the following text on the screen.

ENTER THE PAY PERIOD: 2

ENTER THE FUNCTION CODE: E303

ENTER THE PIN FOR THE PROJECT: 1057.11.121

The user fills in the requested data and the computer searches for that particular file.

The following appears on the screen, and the user can now modify the file contents.

PAY PERIOD: 2

FUNCTION CODE: E303 P.I.N.: 1057.11.121

SENIOR'S INITIALS: JTS MANHOURS FOR SENIOR: 4.00

DESIGNER'S INITIALS: ___ MANHOURS FOR DESIGNER: 0.00

DELETING BLANK FILES

The Data Editing Menu can also be used to delete "blank" files. These blank files are created inadvertantly by hitting the page up and page down keys while in the "ADD DATA" options.

These blank files may be deleted by choosing an edit option and pressing the return key with no search criteria specified. In other words, search for a screen with no data on it. These screens may be deleted by pressing the CTRL-U keys. An asterik with del next to it will appear at the top of the screen.

If you press the CRTL-U keys again, this will undelete the file, rather it will not be marked for deletion. When the user tells the program to print the output, the computer will eliminate those records marked for deletion. Press CTRL-W to save this change to the file.

SELECTING MAIN MENU OPTION #3 "PRINT REPORTS" presents the following screen:

```
          **************************
          *                        *
**********                        **********
*                REPORT MENU                *
**********                        **********
          *                        *
          **************************

     (1) ... RFS - PROJECT STATUS REPORT

     (2) ... SENIOR'S PROJECT STATUS REPORT

     (3) ... PROJECT MAN-DAYS CHECKSHEET

     (4) ... PROJECT MAN-DAYS REPORT

     (5) ... END OF YEAR PROJECT STATUS REPORT

     (6) ... RETURN TO MAIN MENU

ENTER YOUR CHOICE __
```

Five reports can be generated from the program. They are described as follows:

(1) "RFS - PROJECT STATUS REPORT" generates a Project Status Report for both the Roadway Foundation Section and the Instrumentation Section. Projects with a status of "completed" are not reported here. They are reported in the "END OF YEAR REPORT."

(2) "SENIOR'S PROJECT STATUS REPORT" generates an individualized report for each senior engineer in the section.

(3) "PROJECT MAN-DAYS CHECKSHEET" generates a printout used to verify that the project man-hours input is correct. This program requests the pay period number for your desired data check.

(4) "PROJECT MAN-DAYS REPORT". After the user has checked the project man-days input utilizing the output generated from report option (3) "PROJECT MAN-DAY CHECKSHEET" the user can generate an official "PROJECT MAN-DAYS REPORT".

(5) "END OF YEAR PROJECT STATUS REPORT" generates the same output as option (1) "PROJECT STATUS REPORT" except that it lists all projects including those with a status of "completed". This output is used for the section's quarterly and end of the year work review.

When the user presses a report selection number either 1, 2, 3, 4 or 5 the following message appears on the screen. (Do not touch the keyboard at this time)

PLEASE WAIT WHILE I CLEAN UP THE DATA!!

The printer will then print your desired report. For reference, printer setup and programming is located in Appendix D.

## IV. BACKUP PROCEDURES

All files should be backed up (that is, copied) on a regular systematic basis to protect against disk loss or damage. Disk loss or damage may be due to either operator error or disk failure. This backing up is accomplished by the following procedure:

Obtain the following:

1) MARS data disk
2) MARS backup #1
3) MARS backup #2

} all high capacity diskettes

Exit dBASE III to the C > .

Insert the MARS data disk in the A drive.

Type:

C > CD/DBASE (press enter)

C > COPY A: *.DBF C: (press enter)

These commands copy all of your database files onto the hard disk.

Remove the MARS disk from the A drive and place the backup disk #1 into the A drive.

Type:

C > COPY C: *.DBF A: (press enter)

Remove backup disk #1 and insert the backup disk #2 in the A drive and repeat the previous command.

C > COPY C: *.DBF A: (press enter)

V

# APPENDIX A

## "CONTROL KEYS"

## CONTROL KEYS

| KEY | ALTERNATE | FUNCTION |
|---|---|---|
| ↑ | ^E | Moves the cursor up on line or field. |
| ↓ | ^X | Moves the cursor down on line or field. |
| ← | ^S | Moves the cursor one space to the left. |
| → | ^D | Moves the cursor one space to the right. |
| Del | ^G | Erases the character directly under the cursor. |
| End | ^F | Moves the cursor one word to the right. |
| ^ End | ^W | Exit and save changes. |
| Esc | ^Q | Exits without saving changes and returns to the dot prompt. |
| Home | ^A | Moves the cursor one word to the left. |

## CONTROL KEYS

| KEY | ALTERNATE | FUNCTION |
|---|---|---|
| Ins | ^V | Toggles INSERT mode on and off. When it is ON, it inserts the character before the cursor. When it is OFF, it overwrites the character under the cursor. |
| PgUp | ^R | Moves back to the previous record, screen display. |
| PgDn | ^C | Moves to the next record. |
| (RETURN) or ↵ | | Moves the cursor to the next field or line. |
| ^ U | | Marks a record for deletion in EDIT. |

# APPENDIX B

## "DISKETTE DRIVES AND DRIVE COMPATABILITY"

## Tracks, Bytes, and Sectors

Information is written on diskettes along concentric circles called *tracks*. The read/write head of the diskette drive moves back and forth from one track to another as the diskette spins. This lets the diskette drive head find certain data to read or find a place to write information.

The terms *sector* and *byte* are also used to describe diskettes. Tracks are divided into sections called *sectors*. Space on a diskette is measured in *bytes*. One byte holds one character.

The number of tracks, sectors, and bytes on a diskette depends on the type of diskette. The following sections describe the types of diskettes and diskette drives.






## Types of Diskette Drives

Your IBM Personal Computer can have the following types of diskette drives:

- Single-sided (160KB/180KB)
- Double-sided (320KB/360KB)
- High-capacity (1.2MB)

## Types of Diskettes

You can use the following types of diskettes to read and write information:

- Single-sided (160KB/180KB)
- Double-sided (320KB/360KB)
- High-capacity (1.2MB)

A single-sided diskette contains 40 tracks, 8/9 sectors per track, and holds up to 160K/180K bytes of information (K equals 1024).

A double-sided diskette contains 40 tracks per side, 8/9 sectors per track, and holds up to 320K/360K bytes of information (K equals 1024).

A high-capacity diskette is a double-sided diskette that contains 80 tracks per side, 15 sectors per track, and holds up to 1.2M bytes of information (M equals 1,048,576).

# About Diskette and Dr[illegible] Compatibility

The following chart shows the compataibility of your IBM Personal Computer AT drives with different types of formatted diskettes.

| | Single Sided Diskette (160/180K) | Double Sided Diskette (320/360K) | High Capacity Diskette (1.2M) |
|---|---|---|---|
| B: Double Sided Drive –> | Read or Write | Read or Write | Do Not Use (1) |
| A: High Capacity Drive –> | Read Only (2) | Read Only (2) | Read or Write |

1 Do not use in a Double Sided drive.

2 **Warning:** If you write (record) on a single sided or double sided diskette with your High Capacity drive, that diskette may become unusable in a Single Sided or Double Sided drive. To guard against accidently writing (recording) on these diskettes, you should consider placing a write protect tab on the diskette before you use it. Refer to the "Write Protect" procedure later in this section.

**Summary of Diskette and Drive Compatibility**

- Use only high capacity diskettes to read and record in the 1.2M bytes format with your IBM Personal Computer AT High Capacity drive.
- Use only double sided diskettes to read and record in the 320/360K bytes format with your IBM Personal Computer AT High Capacity drive.
- Use only double sided diskettes in a Double Sided drive.
- Do not write on double sided diskettes in your High Capacity drive if you intend to use the diskettes in a double sided drive.

# APPENDIX C

## "LETTER CODE FOR RESEARCH & DEVELOPMENT PROGRAMS"

KEG

DATE: June 4, 1986

SUBJECT: IDENTIFYING RESEARCH & DEVELOPMENT PROJECTS
FOR MANPOWER REPORTING NEEDS

FROM: Bernard E. Butler, Associate Soils Engineer BEB.

TO: Roadway Foundation Section

In order to identify a Research & Development project on your time sheet, a letter code is being assigned to each project.

When completing your time sheet, please write in the left hand margin, opposite the function code, the letter code that is assigned to that specific R & D project. If you are working on two or more projects with the same function code, separate them. Place each project on a separate line and identify each with its letter code.

Attached is a list of R & D projects with their assigned letter codes.

| Project | Function Code | Letter Code |
|---|---|---|
| MUD 3 Report (design) | E303 | A |
| MUD 3 Report (const.) | E303 | B |
| TRB - Manual - Foundations #2 | E353 | C |
| Drill Log Interpretation | E353 | D |
| Recharge Basin Report | E353 | E |
| Clay Embankment Study | E353 | F |
| Dutch Cone Interpretation | E353 | G |
| Constant Rate of Strain | E353 | H |
| Pp vs Strength for Org. Silt | E353 | I |
| Computer Development | E354 | J |
| Triax. Cu Extension Tests | E362 | K |
| Close Sequence Excav. & Backfill | E353 | L |

If there are any questions, see John Harrigan.

FA:WSJ:nlw
Attachment:

# APPENDIX D

## "PRINTER SETUP AND PROGRAMMING"

TABLE 5. EXAMPLE OF CHANGING FONT AND CPI PRINTER STATUS CONFIGURATION

| ACTION | RESULTS |
|---|---|
| 1. With printer turned ON, press ON LINE MODE to enter LOCAL. | ON LINE indicator is extinguished. |
| 2. Press PRGM to enter PROGRAM. | ON LINE indicator flashes while in the programming condition. |
| 3. Set SELECT rotary switch to 1 and press FONT LINE FEED<br>OR: to 0 (FASTER OUTPUT.) | No visible results.<br>Printer Font is changed to NLQ-Gothic. |

NOTE

Available font selections are:

| SELECT ROTARY SWITCH SETTING | FONT |
|---|---|
| 0 | Standard (Draft) |
| 1 | NLQ-Gothic |
| 2-8 | Unassigned |
| 9 | Alternate (optional plug-in chip) |

USE EITHER.

| | |
|---|---|
| 4. Set SELECT rotary switch to 1 and press CPI TOF SET | No visible results.<br>Printer CPI is changed to 16.5. |

NOTE

Available CPI are:

| SELECT ROTARY SWITCH SETTING | CPI |
|---|---|
| 0 | 10 |
| 1 | 12 |
| 2 | 13.1 |
| 3 | 15 |
| 4 | Compressed (16.5 CPI in IBM-GP; 17 CPI in 84/2) |
| 5-9 | Unassigned |

| | |
|---|---|
| 5. To exit PROGRAM, press PRGM | ON LINE indicator changes from flashing to extinguished. |

TABLE 5. EXAMPLE OF CHANGING FONT
AND CPI PRINTER STATUS CONFIGURATION (Continued)

| ACTION | RESULTS |
|---|---|
| 6. If desired, check changes by printing printer status message — Press and hold FONT / LINE FEED<br>Then press and release FORM FEED / FORMS | Printer status prints out:<br>(See example below) |

```
PRINTER STATUS: (506514)
FONT: Draft
MODE: Normal
FORM LENGTH: 11 Inches
LPI: 6
CPI: 16.5
CONFIGURATION: Download, 2K Buffer
EMULATION: IBM Graphic
DIP SWITCH SETTING:
4        3        2        1
X0101011 X0000000 X0010000 X0111000
```

# APPENDIX E

"PROGRAM LISTING"

DBASE III File Types

| | | |
|---|---|---|
| _____ | .DBF | Database File. |
| _____ | .FMT | Format file. |
| _____ | .FRM | Report form file. |
| _____ | .NDX | Index file. |
| _____ | .PRG | Command file. |
| _____ | .TXT | Text output file. |



```
. display structure
Structure for database : B:PROJECT.dbf
Number of data records :     253
Date of last update    : 07/17/86
Field  Field name  Type       Width    Dec
    1  PAY_PERIOD  Character      2
    2  PIN         Character     11
    3  FUNC_CODE   Character      4
    4  SENIOR      Character      3
    5  DESIGNER_1  Character      3
    6  MANHOURSSE  Numeric        6      2
    7  MANHOURSD1  Numeric        6      2
** Total **                      36

. CLEA
. display structure
Structure for database : B:MANPOWER.dbf
Number of data records :      66
Date of last update    : 07/14/86
Field  Field name  Type       Width    Dec
    1  PAY_PERIOD  Character      2
    2  CATEGORY    Character     22
    3  PROJECT     Character     25
    4  PIN         Character     11
    5  FUNC_CODE   Character      4
    6  NUMPROB_IN  Numeric        3
    7  NUMPROBOUT  Numeric        3
    8  STATUS      Character      9
    9  PS_E        Date           8
   10  RECVD_PROJ  Date           8
   11  RECVD_PLAN  Date           8
   12  RECVD_BOR1  Date           8
   13  RECV_LABD1  Date           8
   14  COMMENTS    Character    254
   15  SENIOR      Character      3
   16  DESIGNER_1  Character      3
Press any key to continue...
   17  TARGET_DAT  Date           8
   18  DESN_START  Date           8
   19  DESN_COMP   Date           8
** Total **                     404

. EJECT
```

```
. TYPE MENU1.PRG
*        COMMAND FILE ----- MENU1
* THIS IS THE MAIN MENU FOR THE MANPOWER REPORTING SYSTEM PROGRAM
* THIS MENU PRESENTS OPTIONS FOR EITHER DATA ENTRY OR REPORT
*  GENERATION

SET TALK OFF
CLEAR
STORE 0 TO COUNTER
DO WHILE COUNTER = 0
CLEAR
TEXT
       ************************************************************
       *                                                          *
       *     NEW YORK STATE DEPARTMENT OF TRANSPORTATION          *
       *                                                          *
       *  SOIL MECHANICS BUREAU - ROADWAY FOUNDATION SECTION      *
       *                                                          *
       *              MANPOWER REPORTING SYSTEM                   *
       *                                                          *
       ************************************************************


                      ****  MAIN MENU ****


                      <1> ...  ADD DATA

                      <2> ...  EDIT DATA

                      <3> ...  PRINT REPORTS

                      <4> ...  QUIT


ENDTEXT
WAIT 'ENTER YOUR COICE' TO CHOICE

DO CASE
    CASE CHOICE='1'
        CLEAR
        DO MENU2
        CLEAR
    CASE CHOICE='2'
        DO EDIT2
        CLEAR
    CASE CHOICE='3'
        CLEAR
        DO MENU4
        CLEAR
    CASE CHOICE='4'
        CLEAR
        CLOSE DATABASES
        CANCEL
    OTHERWISE
        ? 'YOU GOOFED!!   TRY AGAIN!'
        WAIT
        CLEAR
ENDCASE
ENDDO
```

```
. TYPE MENU2.PRG
*  COMMAND FILE --- MENU2
* THIS MENU PRESENTS OPTIONS FOR DATA ENTRY
* DATA MAY BE ENTERED FOR EITHER A PARTICULAR DESIGN PROJECT

SET TALK OFF
CLEAR
STORE 0 TO COUNTER
DO WHILE COUNTER = 0
CLEAR
TEXT
                ****************************************
                *                                      *
                *      ...   DATA ENTRY MENU   ...      *
                *                                      *
                ****************************************


                    <1> ... ENTER MANAGEMENT DATA


                    <2> ... ENTER PROJECT MANHOURS


                    <3> ... RETURN TO MAIN MENU


ENDTEXT
WAIT 'ENTER YOUR CHOICE' TO CHOICE

DO CASE
    CASE CHOICE='1'
        CLEAR
        USE MANPOWER
        SET INDEX TO INCAT
        SET FORMAT TO WALT.FMT
        APPEND
        CLOSE FORMAT
        CLEAR

    CASE CHOICE='2'
        CLEAR
        USE PROJECT
        SET FORMAT TO BERNE.FMT
        APPEND
        CLOSE FORMAT
        CLEAR

    CASE CHOICE='3'
        RETURN
    OTHERWISE
        ? 'YOU GOOFED!!!  TRY AGAIN!!'
        WAIT
        CLEAR
ENDCASE
ENDDO
```

```
. TYPE WALT.FMT
*  WALT.FMT PROGRAM
*  THIS IS THE FORMAT SCREEN PROGRAM FOR DATA INPUT
@1,14 SAY "CATEGORY:" GET CATEGORY
@3,3 SAY "PROJECT DESCRIPTION:" GET PROJECT
@5,16 SAY "P.I.N.:" GET PIN
@5,46 SAY "FUNCTION CODE:" GET FUNC_CODE
@7,5 SAY "PAY PERIOD NUMBER:" GET PAY_PERIOD
@7,53 SAY "STATUS:" GET STATUS
@9,5 SAY "SENIOR'S INITIALS:" GET SENIOR
@9,40 SAY "DESIGNER'S INITIALS:" GET DESIGNER_1
@11,3 SAY "PROJECT RECEIVED ON:" GET RECVD_PROJ
@11,55 SAY "PS&E:" GET PS_E
@13,8 SAY "PLANS RECEIVED:" GET RECVD_PLAN
@13,43 SAY "BORINGS RECEIVED:" GET RECVD_BOR1
@15,5 SAY "LAB DATA RECEIVED:" GET RECV_LABD1
@15,37 SAY "TARGET COMPLETION DATE:" GET TARGET_DAT
@17,8 SAY "DESIGN STARTED:" GET DESN_START
@17,43 SAY "DESIGN COMPLETED:" GET DESN_COMP
@19,4 SAY "NUMBER PROBLEMS IN:" GET NUMPROB_IN
@19,40 SAY "NUMBER PROBLEMS OUT:" GET NUMPROBOUT
@21,3 SAY "COMMENTS:" GET COMMENTS
```

```
. TYPE BERNE.FMT
*
* FORMAT PROGRAM BERNE.FMT
* THIS IS THE DATA ENTRY SCREEN FOR PROJECT MANHOURS

@3,14 SAY "PAY PERIOD:" GET PAY_PERIOD
@5,11 SAY "FUNCTION CODE:" GET FUNC_CODE
@5,37 SAY "P.I.N.:" GET PIN
@9,7 SAY "SENIOR'S INITIALS:" GET SENIOR
@9,37 SAY "MANHOURS FOR SENIOR:" GET MANHOURSSE
@13,5 SAY "DESIGNER'S INITIALS:" GET DESIGNER_1
@13,35 SAY "MANHOURS FOR DESIGNER:" GET MANHOURSD1
```

```
. TYPE EDIT2.PRG
*  EDIT2.PRG
*  PROGRAM FOR EDITING DATA

SET TALK OFF
CLEAR
STORE 0 TO COUNTER
DO WHILE COUNTER = 0
CLEAR
TEXT
                    ****************************************
                    *                                      *
                    ******... DATA EDITING MENU ...******
                    *                                      *
                    ****************************************


                      <1> ... EDIT MANAGEMENT DATA


                      <2> ... EDIT PROJECT MAN-HOURS


                      <3> ... RETURN TO MAIN MENU


ENDTEXT
WAIT 'ENTER YOUR CHOICE' TO CHOICE5

DO CASE
    CASE CHOICE5 = '1'
        CLEAR
        DO INPUT2
        CLEAR

    CASE CHOICE5 = '2'
        CLEAR
        DO SEARCH
        CLEAR

    CASE CHOICE5 = '3'
        RETURN
    OTHERWISE
        ? 'YOU GOOFED!!! TRY AGAIN!!'
        WAIT
        CLEAR
ENDCASE
ENDDO
```

```
. TYPE INPUT2.PRG
* INPUT2.PRG    COMMAND FILE PROGRAM
* THIS PROGRAM ALLOWS THE USER TO EDIT DATA BASED ON A
* SEARCH FOR A PARTICULAR PIN AND FUNCTION CODE

CLEAR
USE MANPOWER
STORE SPACE(11) TO MPIN
STORE SPACE(4) TO MFUNCCODE
@10,11 SAY "ENTER THE FUNCTION CODE:" GET MFUNCCODE
@12,5 SAY "ENTER THE PIN FOR THE PROJECT:" GET MPIN
READ
LOCATE FOR UPPER(PIN)=MPIN .AND. UPPER(FUNC_CODE)=MFUNCCODE

IF EOF()
    ? 'RECORD NOT FOUND.....'
    WAIT 'HIT A KEY TO RETURN TO THE MENU'

ELSE
    CLEAR
    SET FORMAT TO WALT.FMT
    EDIT
    CLOSE FORMAT
    CLEAR
ENDIF
RETURN
```

```
. TYPE SEARCH.PRG
* SEARCH.PRG COMMAND FILE PROGRAM
* THIS PROGRAM ALLOWS THE USER TO EDIT DATA BASED ON A
* SEARCH FOR A PARTICULAR PAY PERIOD, PIN AND FUNCTION CODE

CLEAR
USE PROJECT
STORE SPACE(2) TO MPAY
STORE SPACE(4) TO MFUNCCODE
STORE SPACE(11) TO MPIN

@8,14 SAY "ENTER THE PAY PERIOD:" GET MPAY
@10,11 SAY "ENTER THE FUNCTION CODE:" GET MFUNCCODE
@12,5 SAY "ENTER THE PIN FOR THE PROJECT:" GET MPIN
READ
LOCATE FOR PAY_PERIOD = MPAY .AND. UPPER(PIN) = MPIN .AND. UPPER(FUNC_CODE) = MFUNCCODE

IF EOF()
    ? 'RECORD NOT FOUND....'
    WAIT  ' HIT A KEY TO RETURN TO THE MENU '

ELSE
    CLEAR
    SET FORMAT TO BERNE.FMT
    EDIT
    CLOSE FORMAT
    CLEAR
ENDIF
RETURN
```

```
. SETPRIN PRINT OFF



    THIS IS MENU4   IT IS THE MENU FOR SELECTING A REPORT TO BE
*   PRINTED

ET TALK OFF
LEAR
STORE Ø TO COUNTER4
O WHILE COUNTER4 = Ø
LEAR
TEXT
                    ********************
                    *                  *
          **************                 ****************
          *                 REPORT MENU                  *
          **************                 ****************
                    *                  *
                    ********************

               <1> ...  RFS -  PROJECT STATUS REPORT

               <2> ...  SENIOR'S PROJECT STATUS REPORT

               <3> ...  PROJECT MAN-DAYS CHECKSHEET

               <4> ...  PROJECT MAN-DAYS REPORT

               <5> ...  END OF YEAR PROJECT STATUS REPORT

               <6> ...  RETURN TO MAIN MENU

ENDTEXT
AIT 'ENTER YOUR CHOICE' TO CHOICE4

O CASE

   CASE CHOICE4 = '1'

        CLEAR

  THIS REPORTS THE CURRENT PROJECT STATUS FOR THE RFS

        @12,15 SAY " PLEASE WAIT WHILE I CLEAN UP THE DATA !!"
        DO INDEX
        CLEAR

  THIS REPORTS ONLY INFORMATION ON JOBS WITH STATUS NOT =
OMPLETED

        REPORT FORM PROSTAT TO PRINT FOR STATUS <> "COMPLETED"
        WAIT
        CLEAR

   CASE CHOICE4 = '2'

        CLEAR
```

```
* THIS REPORTS THE PROJECT STATUS REPORT FOR EACH SENIOR

      @12,15 SAY "PLEASE WAIT WHILE I CLEAN UP THE DATA !!"
      DO INDEX
      CLEAR
      REPORT FORM PROSTAT FOR SENIOR ='EDK' .AND. STATUS <>
"COMPLETED" TO PRINT
      REPORT FORM PROSTAT FOR SENIOR ='FA' .AND. STATUS <>
"COMPLETED" TO PRINT
      REPORT FORM PROSTAT FOR SENIOR ='JTS' .AND. STATUS <>
"COMPLETED" TO PRINT
      WAIT
      CLEAR

 CASE CHOICE4 = '3'

      CLEAR
      USE PROJECT INDEX CHECK
      @12,15 SAY "  HOLD ON WHILE I CLEAN UP THE FILES !!"
      PACK
      CLEAR

INDEX CHECK INDEXES ON PAY PERIOD,SENIOR,DESIGNER,

* FUNCTION CODE, AND PIN

      @10,10 SAY "ENTER THE PAY PERIOD FOR YOUR REPORT"
      ACCEPT 'PAY PERIOD NO.' TO PAY1
      REPORT FORM JOHN TO PRINT FOR PAY_PERIOD = PAY1
      WAIT
      CLEAR

 CASE CHOICE4 = '4'

      CLEAR

INDEX HELLO INDEXES ON PIN, FUNCTION CODE AND PAY PERIOD

      @12,15 SAY "PLEASE WAIT WHILE I CLEAN UP MY FILES !!"

      USE PROJECT INDEX HELLO
      PACK

      CLEAR
      REPORT FORM SMART TO PRINT

      WAIT
      CLEAR

 CASE CHOICE4 = '5'

      CLEAR
```

```
END OF YEAR COMPLETE DATABASE SUMMARY REPORT

     @12,15 SAY "PLEASE WAIT WHILE I CLEAN UP MY FILES !!"
     DO INDEX
     CLEAR
     REPORT FORM PROSTAT TO PRINT
     WAIT
     CLEAR

 CASE CHOICE4 = '6'

     RETURN
     CLEAR
 OTHERWISE
     ?'YOU GOOFED!!!  TRY AGAIN!!'
     WAIT
     CLEAR
ENDCASE
ENDDO
```

```
* INDEX.PRG
* THIS PROGRAM RE-INDEXES FILES
SET SAFETY OFF
USE MANPOWER INDEX INCAT
*   INDEX INCAT IS AN  INDEX ON CATEGORY + PIN TO INCAT
REINDEX
PACK
```

# APPENDIX F

"REFERENCES"

# REFERENCES

dBASE III User Manual

# APPENDIX G

## "SAMPLE OUTPUT"

REPORT OPTION # 1

"ROADWAY FOUNDATION SECTION - PROJECT STATUS REPORT"

Reports all projects with status of either new, active, inactive or backlog. Projects with a status of completed are not reported.

CURRENT PROJECT STATUS
ROADWAY FOUNDATION SECTION

| PIN | PROJECT | PAY PERIOD NUMBER | FUNCT CODE | STATUS | E NR | D SR | PROJ RECVD | PS&E | PLANS RECVD | BORINGS RECVD | LAB DATA RECVD | TARGET COMP DATE | DESIGN STARTED | DESIGN COMPLETE | # PROB IN | # PROB OUT | COMMENTS |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| ** CATEGORY DESIGN | | | | | | | | | | | | | | | | | |
| 1057.11.121 | RTE.150 BROOKVIEW BRIDGE | 2 | E303 | ACTIVE | JTS | DJT | 03/03/86 | 04/01/88 | / / | / / | / / | 10/31/86 | 05/20/86 | / / | 1 | 0 | VANE TESTS AND BORINGS IN PROGRESS. |
| 1089.34.122 | RTE. 4 & 197 BRIDGES | 2 | E301 | ACTIVE | EDK | JSD | 10/01/85 | 06/01/87 | / / | / / | 02/01/86 | / / | / / | / / | 1 | 0 | Alignment change. New studies will be required. |
| 2018.00. | RT.55 | 2 | E303 | BACKLOG | EDK | JER | 04/25/86 | 01/01/88 | / / | / / | / / | 09/30/86 | / / | / / | 1 | 0 | NOT A HOT JOB, SWAMP AREA. FIELD TRIP PLANNED FOR END OF MONTH. |
| 3298.00.313 | I-81, HIAWATHA BLVD. | 2 | E303 | NEW | EDK | JER | 01/01/86 | 01/01/88 | / / | / / | / / | / / | / / | / / | 1 | 0 | BORING PROGRAM ONGOING, SUBSIDENCE OR SHEAR FAILURE ? SLOPE INDICATORS AND OBSERVATION WELLS HAVE BEEN INSTALLED. |
| 6218.08.121 | BENNETTSBURG-PERRY CITY | 2 | E303 | ACTIVE | JTS | FAA | 05/20/86 | 08/01/87 | / / | / / | / / | / / | / / | / / | 1 | 0 | WILL RECEIVE PLANS AND PROFILE FROM THE REGION SOON, AS PER E. LANGE. |
| 8030.20. | RT.59 OVER PASCAK CREEK | 2 | E303 | NEW | FA | WSJ | 04/23/86 | 01/01/87 | / / | / / | / / | / / | / / | / / | 1 | 0 | SUBSURFACE EXPLORATION IN PROGRESS. |
| 9095.36.301 | SHARON SPRINGS WALL | 2 | E308 | ACTIVE | EDK | WSJ | 05/12/86 | / / | / / | / / | / / | 06/01/86 | 05/20/86 | / / | 2 | 0 | SLOPE STABILIZATION, WALL AT TOP TOE OF SLOPE. CONSTRUCTION PROBLEM. |
| E112.18.701 | TALLYRAND SWAMP | 2 | E303 | INACTIVE | JTS | RJS | 04/01/84 | / / | / / | / / | / / | / / | / / | 05/01/85 | 1 | 1 | THRUWAY PROJECT. Investigation complete. Recommendations verbally transmitted to consultant. No response since 5/85. |
| M104.00.701 | RT.22,WADHAMS&WALLONSBURG | 2 | E303 | ACTIVE | JTS | RJS | 12/01/85 | / / | 12/01/85 | / / | / / | 08/01/86 | 05/05/86 | / / | 1 | 0 | PRELIMINARY COST ESTIMATE AND BORING REQUEST SUBMITTED TO REGION. DRILLING COMPLETED 5/6/86. DAVE T. HAS WADHAMS AND SULLY HAS WALLONSBURG. |
| M604.00.701 | RTE 19 BELFAST | 2 | E303 | ACTIVE | JTS | RJS | 07/01/85 | / / | 09/01/85 | 01/29/86 | / / | 08/01/86 | 04/15/86 | / / | 1 | 0 | SLOW SLOPE MOVEMENT. No rush - correction is cost dependent. Preliminary borings requested 9/26/85, received 1/29/86. |

CURRENT PROJECT STATUS
ROADWAY FOUNDATION SECTION

| PIN | PROJECT | PAY PERIOD NUMBER | FUNCT CODE | STATUS | S E N R | D S N R | PROJ RECVD | PS&E | PLANS RECVD | BORINGS RECVD | LAB DATA RECVD | TARGET COMP DATE | DESIGN STARTED | DESIGN COMPLETE | # PROB IN | # PROB OUT | COMMENTS |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| P006.01.801 | BUFFALO PORT EVALUATION | 2 | E320 | ACTIVE | EDK | JER | 03/01/85 | / / | / / | / / | / / | 04/30/86 | 03/01/86 | / / | 1 | 0 | FINAL DRAFT IN PROGRESS. |
| P006.01.801 | OSWEGO PORT EVALUATION | 2 | E320 | ACTIVE | EDK | JER | 03/01/85 | / / | / / | / / | / / | 05/30/86 | 03/01/85 | / / | 1 | 0 | FINAL REPORT BEING REPRODUCED. |
| ** Subtotal ** | | | | | | | | | | | | | | | 13 | 1 | |
| ** CATEGORY INSTRUMENTATION | | | | | | | | | | | | | | | | | |
| | ALT RTE 7 NOISE BARRIER | 2 | E354 | INACTIVE | EDK | WSJ | 10/01/84 | / / | / / | / / | / / | / / | / / | / / | 1 | 1 | Monitoring post const movement. Spring reading will be taken in April. If their is no movement,no further readings will be taken unless requested. |
| 0045.00. | NASSAU EXPRESSWAY | 2 | E303 | INACTIVE | JTS | RJS | 06/01/85 | / / | / / | / / | / / | / / | / / | / / | 1 | 0 | When construction starts, instrumentation will monitor embankment settlement. |
| 1001.08.101 | RTE. 2 BRUNSWICK-TROY | 2 | E352 | ACTIVE | FA | MJB | 05/01/85 | / / | / / | / / | / / | / / | / / | / / | 1 | 0 | Monitoring wall movement in the spring and fall. |
| 2378.12.311 | M.U.D. 12 | 2 | E304 | ACTIVE | FA | MJB | 03/01/85 | / / | / / | / / | / / | / / | / / | / / | 1 | 0 | Monitoring construction phase. |
| 2378.13.321 | M.U.D. 13 | 2 | E304 | ACTIVE | FA | MJB | 03/01/85 | / / | / / | / / | / / | / / | / / | / / | 1 | 0 | Monitoring construction phase. |
| 2378.14.311 | MUD 14 | 2 | E304 | ACTIVE | FA | MJB | 03/01/85 | / / | / / | / / | / / | / / | / / | / / | 1 | 0 | Monitoring construction phase |
| 2378.15.311 | MUD 15 | 2 | E304 | ACTIVE | FA | MJB | 03/01/85 | / / | / / | / / | / / | / / | / / | / / | 1 | 0 | Monitoring construction phase. |
| 2378.16.311 | M.U.D. 16 | 2 | E304 | ACTIVE | FA | PWB | 12/01/85 | / / | / / | / / | / / | / / | / / | / / | 1 | 0 | Monitoring construction phase. |
| 3022.17.321 | RTE. 38 GROTON LOCKE | 2 | E303 | ACTIVE | JTS | REB | 07/01/85 | / / | / / | / / | / / | / / | / / | / / | 1 | 0 | MONITORING POST-CONSTRUCTION MOVEMENT. NO MOVEMENT AS OF APRIL 1986. |
| 6006.40. | OWEGO BR. CO. LINE | 2 | E352 | BACKLOG | FA | | 06/01/83 | / / | / / | / / | / / | / / | / / | / / | 1 | 0 | SECTION OF HIGHWAY IS BEING MONITORED USING A SLOPE INDICATOR. |

CURRENT PROJECT STATUS
ROADWAY FOUNDATION SECTION

| PIN | PROJECT | PAY PERIOD NUMBER | FUNCT CODE | STATUS | S E N R | D S N R | PROJ RECVD | PS&E | PLANS RECVD | BORINGS RECVD | LAB DATA RECVD | TARGET COMP DATE | DESIGN STARTED | DESIGN COMPLETE | # PROB IN | # PROB OUT | COMMENTS |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 9044.22 | RTE 30 N. BLENHEIM | 2 | E352 | BACKLOG | FA | | 06/01/83 | / / | / / | / / | / / | / / | / / | / / | 1 | 0 | BRIDGE SITE 2 IS BEING MONITORED. ARTESIAN WELLS. |
| 9357.15.121 | BORST NOBLE RD | 2 | E303 | ACTIVE | FA | | 06/01/83 | / / | / / | / / | / / | 12/12/87 | / / | / / | 1 | 0 | SLIDE STABILIZATION. Monitoring post construction movement. |
| E351 | PIEZOMETER SPECIFICATION | 2 | E351 | ACTIVE | JCI | EAC | 10/01/85 | / / | / / | / / | / / | 07/18/86 | / / | / / | 0 | 0 | |
| E351 | SCP-7 UPDATE | 2 | E351 | ACTIVE | JCI | HKR | 04/06/83 | / / | / / | / / | / / | 07/31/86 | / / | / / | 0 | 0 | |
| E351 | CABLE SET SYSTEM SPEC | 2 | E351 | ACTIVE | JCI | EAC | 01/01/85 | / / | / / | / / | / / | 08/30/86 | / / | / / | 0 | 0 | |
| E353 | MUD INSTRUMENTATION REPOR | 2 | E353 | ACTIVE | JCI | | 11/01/84 | / / | / / | / / | / / | 12/31/86 | / / | / / | 0 | 0 | |
| E353 | WHITESTONE EXPWY REPORT | 1 | E353 | ACTIVE | JCI | EAC | 01/01/86 | / / | / / | / / | / / | 08/30/86 | / / | / / | 0 | 0 | |
| E353 | VANE BORER REPORT | 2 | E353 | ACTIVE | JCI | EAC | 06/29/83 | / / | / / | / / | / / | / / | / / | / / | 0 | 0 | |
| E353 | PRESSUREMETER REVIEW | 2 | E353 | ACTIVE | JCI | RLS | 03/01/86 | / / | / / | / / | / / | / / | / / | / / | 0 | 0 | |
| E354 | 1-D SETT. PROG. DOCUMENTA | 2 | E354 | ACTIVE | JCI | | 03/20/86 | / / | / / | / / | / / | 12/31/86 | / / | / / | 0 | 0 | |
| M804.00.701 | RTE. 212 SHADY | 2 | E352 | BACKLOG | EDK | | 03/01/85 | / / | / / | / / | / / | / / | / / | / / | 1 | 0 | TOP OF WALL IS SURVEYED FOR DISPLACEMENT TWICE A YEAR. DESIGN REPORT TO BE DONE IN THE NEAR FUTURE. |
| ** Subtotal ** | | | | | | | | | | | | | | | 13 | 1 | |
| ** CATEGORY RESEARCH & DEVELOPMENT | | | | | | | | | | | | | | | | | |
| E303A | MUD 3 REPORT (design) | 2 | E303 | BACKLOG | FA | REG | 12/01/84 | / / | / / | / / | / / | / / | / / | / / | 1 | 0 | 1ST Draft in progress. |
| E303B | MUD 3 REPORT (const.) | 2 | E303 | ACTIVE | FA | RLS | 01/01/86 | / / | / / | / / | / / | / / | / / | / / | 1 | 0 | Stage construction w/wick drains. |
| E352C | TRB MANUAL-FOUNDATIONS #2 | 2 | E353 | ACTIVE | FA | | 02/01/86 | / / | / / | / / | / / | 08/01/86 | / / | / / | 2 | 1 | #1 TRB PAPER out. #2 BUREAU REPORT --Bureau review completed. |
| E353D | DRILL LOG INTERPRETATION | 2 | E353 | ACTIVE | FA | WSJ | 07/01/85 | / / | / / | / / | / / | / / | / / | / / | 1 | 0 | Additional research in progress as of 2/25/86. NO ACTIVITY DURING MAY. |

**********
* CURRENT PROJECT STATUS *
* ROADWAY FOUNDATION SECTION *
**********

| PIN | PROJECT | PAY PERIOD NUMBER | FUNCT CODE | STATUS | SI E N R | D S N R | PROJ RECVD | PS&E | PLANS RECVD | BORINGS RECVD | LAB DATA RECVD | TARGET COMP DATE | DESIGN STARTED | DESIGN COMPLETE | # PROB IN | # PROB OUT | COMMENTS |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| E353E | RECHARGE BASINS REPORT | 2 | E353 | BACKLOG | JTS | | 08/01/83 | / / | / / | / / | / / | 12/31/86 | / / | / / | 1 | 0 | RFS WILL COMPLETE MANUAL. |
| E353F | CLAY EMBANKMENT STUDY | 2 | E353 | ACTIVE | EDK | REG | 03/01/85 | / / | / / | / / | / / | 06/30/86 | / / | / / | 1 | 0 | QUESTIONNAIRE RESPONSES EVALUATED. LITERATURE REVIEW COMPLETED. BUREAU TESTING IS BEING EVALUATED. |
| E353G | DUTCH CONE INTERP | 2 | E353 | BACKLOG | FA | | 07/01/85 | / / | / / | / / | / / | / / | / / | / / | 1 | 0 | No ACTIVITY. |
| E353H | CONSTANT RATE OF STRAIN | 2 | E353 | ACTIVE | JTS | RJS | 12/01/85 | / / | / / | / / | / / | 11/01/86 | / / | / / | 1 | 0 | LAB TESTING IN PROGRESS. |
| E353I | Pp VS STRENGTH FOR ORG L | 2 | E353 | ACTIVE | FA | WSJ | 12/01/85 | / / | / / | / / | / / | / / | / / | / / | 1 | 0 | Literature research in progress (2/25/86) |
| E353L | CLOSE SEQ.EXC. & BACKFILL | 2 | E353 | NEW | FA | WSJ | 03/19/86 | / / | / / | / / | / / | / / | / / | / / | 1 | 0 | WAITING FOR REVIEW OF PROJECT SAMPLE BEFORE PROCEEDING. |
| E354J | COMPUTER DEVELOPMENT | 2 | E354 | ACTIVE | EDK | REG | 08/01/82 | / / | / / | / / | / / | / / | / / | / / | 1 | 0 | Ongoing |
| E362K | TRIAX. CU EXTENSION TEST | 2 | E362 | ACTIVE | JTS | | 03/01/86 | / / | / / | / / | / / | / / | / / | / / | 0 | 0 | WORK PLAN IN PREPARATION. |
| ** Subtotal ** | | | | | | | | | | | | | | | 12 | 1 | |
| *** Total *** | | | | | | | | | | | | | | | 38 | 3 | |

REPORT OPTION # 2

"SENIOR'S PROJECT STATUS REPORT"

Project Status Reports for each senior in the section.

**********
* CURRENT PROJECT STATUS *
* ROADWAY FOUNDATION SECTION *
**********

| PIN | PROJECT | PAY PERIOD NUMBER | FUNCT CODE | STATUS | S E N R | D S N R | PROJ RECVD | PS&E | PLANS RECVD | BORINGS RECVD | LAB DATA RECVD | TARGET COMP DATE | DESIGN STARTED | DESIGN COMPLETE | # PROB IN | # PROB OUT | COMMENTS |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| ** CATEGORY DESIGN | | | | | | | | | | | | | | | | | |
| 1089.34.122 | RTE. 4 & 197 BRIDGES | 2 | E301 | ACTIVE | EDK | JSD | 10/01/85 | 06/01/87 | / / | / / | 02/01/86 | / / | / / | / / | 1 | 0 | Alignment change. New studies will be required. |
| 2818.00. | RT.5S | 2 | E303 | BACKLOG | EDK | JER | 04/25/86 | 01/01/88 | / / | / / | / / | 09/30/86 | / / | / / | 1 | 0 | NOT A HOT JOB, SWAMP AREA. FIELD TRIP PLANNED FOR END OF MONTH. |
| 3298.00.313 | I-81, HIAWATHA BLVD. | 2 | E303 | NEW | EDK | JER | 01/01/86 | 01/01/88 | / / | / / | / / | / / | / / | / / | 1 | 0 | BORING PROGRAM ONGOING, SUBSIDENCE OR SHEAR FAILURE ? SLOPE INDICATORS AND OBSERVATION WELLS HAVE BEEN INSTALLED. |
| 9095.36.301 | SHARON SPRINGS WALL | 2 | E308 | ACTIVE | EDK | WSJ | 05/12/86 | / / | / / | / / | / / | 06/01/86 | 05/20/86 | / / | 2 | 0 | SLOPE STABILIZATION, WALL AT TOP TOE OF SLOPE. CONSTRUCTION PROBLEM. |
| P006.01.801 | BUFFALO PORT EVALUATION | 2 | E320 | ACTIVE | EDK | JER | 03/01/85 | / / | / / | / / | / / | 04/30/86 | 03/01/86 | / / | 1 | 0 | FINAL DRAFT IN PROGRESS. |
| P006.01.801 | OSWEGO PORT EVALUATION | 2 | E320 | ACTIVE | EDK | JER | 03/01/85 | / / | / / | / / | / / | 05/30/86 | 03/01/85 | / / | 1 | 0 | FINAL REPORT BEING REPRODUCED. |
| ** Subtotal ** | | | | | | | | | | | | | | | 7 | 0 | |
| ** CATEGORY INSTRUMENTATION | | | | | | | | | | | | | | | | | |
| | ALT RTE 7 NOISE BARRIER | 2 | E354 | INACTIVE | EDK | WSJ | 10/01/84 | / / | / / | / / | / / | / / | / / | / / | 1 | 1 | Monitoring post const movement. Spring reading will be taken in April. If their is no movement,no further readings will be taken unless requested. |
| M304.00.701 | RTE. 212 SHADY | 2 | E352 | BACKLOG | EDK | | 03/01/85 | / / | / / | / / | / / | / / | / / | / / | 1 | 0 | TOP OF WALL IS SURVEYED FOR DISPLACEMENT TWICE A YEAR. DESIGN REPORT TO BE DONE IN THE NEAR FUTURE. |
| ** Subtotal ** | | | | | | | | | | | | | | | 2 | 1 | |

CURRENT PROJECT STATUS
ROADWAY FOUNDATION SECTION

| PIN | PROJECT | PAY PERIOD NUMBER | FUNCT CODE | STATUS | S E N R | D S N R | PROJ RECVD | PS&E | PLANS RECVD | BORINGS RECVD | LAB DATA RECVD | TARGET COMP DATE | DESIGN STARTED | DESIGN COMPLETE | # PROB IN | # PROB OUT | COMMENTS |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| ** CATEGORY RESEARCH & DEVELOPMENT | | | | | | | | | | | | | | | | | |
| E353F | CLAY EMBANKMENT STUDY | 2 | E353 | ACTIVE | EDK | REG | 03/01/85 | / / | / / | / / | / / | 06/30/86 | / / | / / | 1 | 0 | QUESTIONNAIRE RESPONSES EVALUATED. LITERATURE REVIEW COMPLETED. BUREAU TESTING IS BEING EVALUATED. |
| E354J | COMPUTER DEVELOPMENT | 2 | E354 | ACTIVE | EDK | REG | 08/01/82 | / / | / / | / / | / / | / / | / / | / / | 1 | 0 | Ongoing |
| ** Subtotal ** | | | | | | | | | | | | | | | 2 | 0 | |
| *** Total *** | | | | | | | | | | | | | | | 11 | 1 | |

CURRENT PROJECT STATUS
ROADWAY FOUNDATION SECTION

| PIN | PROJECT | PAY PERIOD NUMBER | FUNCT CODE | STATUS | S E M R | D S M R | PROJ RECVD | PS&E | PLANS RECVD | BORINGS RECVD | LAB DATA RECVD | TARGET COMP DATE | DESIGN STARTED | DESIGN COMPLETE | # PROB IN | # PROB OUT | COMMENTS |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| ** CATEGORY DESIGN | | | | | | | | | | | | | | | | | |
| 8030.20. | RT.59 OVER PASCAK CREEK | 2 | E303 | NEW | FA | WSJ | 04/23/86 | 01/01/87 | / / | / / | / / | / / | / / | / / | 1 | | @ SUBSURFACE EXPLORATION IN PROGRESS. |
| ** Subtotal ** | | | | | | | | | | | | | | | 1 | @ | |
| ** CATEGORY INSTRUMENTATION | | | | | | | | | | | | | | | | | |
| 1001.08.101 | RTE. 2 BRUNSWICK-TROY | 2 | E352 | ACTIVE | FA | MJB | 05/01/85 | / / | / / | / / | / / | / / | / / | / / | 1 | @ | Monitoring wall movement in the spring and fall. |
| 2378.12.311 | M.U.D. 12 | 2 | E304 | ACTIVE | FA | MJB | 03/01/85 | / / | / / | / / | / / | / / | / / | / / | 1 | @ | Monitoring construction phase. |
| 2378.13.321 | M.U.D. 13 | 2 | E304 | ACTIVE | FA | MJB | 03/01/85 | / / | / / | / / | / / | / / | / / | / / | 1 | @ | Monitoring construction phase. |
| 2378.14.311 | MUD 14 | 2 | E304 | ACTIVE | FA | MJB | 03/01/85 | / / | / / | / / | / / | / / | / / | / / | 1 | @ | Monitoring construction phase |
| 2378.15.311 | MUD 15 | 2 | E304 | ACTIVE | FA | MJB | 03/01/85 | / / | / / | / / | / / | / / | / / | / / | 1 | @ | Monitoring construction phase. |
| 2378.16.311 | M.U.D. 16 | 2 | E304 | ACTIVE | FA | PWB | 12/01/85 | / / | / / | / / | / / | / / | / / | / / | 1 | @ | Monitoring construction phase. |
| 6006.40. | OWEGO BR. CO. LINE | 2 | E352 | BACKLOG | FA | | 06/01/83 | / / | / / | / / | / / | / / | / / | / / | 1 | @ | SECTION OF HIGHWAY IS BEING MONITORED USING A SLOPE INDICATOR. |
| 9044.22 | RTE 30 N. BLENHEIM | 2 | E352 | BACKLOG | FA | | 06/01/83 | / / | / / | / / | / / | / / | / / | / / | 1 | @ | BRIDGE SITE 2 IS BEING MONITORED. ARTESIAN WELLS. |
| ** Subtotal ** | | | | | | | | | | | | | | | 8 | @ | |
| ** CATEGORY RESEARCH & DEVELOPMENT | | | | | | | | | | | | | | | | | |
| E303A | MUD 3 REPORT (design) | 2 | E303 | BACKLOG | FA | REG | 12/01/84 | / / | / / | / / | / / | / / | / / | / / | 1 | @ | 1ST Draft in progress. |
| E303B | MUD 3 REPORT (const.) | 2 | E303 | ACTIVE | FA | RLS | 01/01/86 | / / | / / | / / | / / | / / | / / | / / | 1 | @ | Stage construction w/wick drains. |
| E352C | TRB MANUAL-FOUNDATIONS #2 | 2 | E353 | ACTIVE | FA | | 02/01/86 | / / | / / | / / | / / | 00/01/86 | / / | / / | 2 | 1 | #1 TRB PAPER out. #2 BUREAU REPORT --Bureau review completed. |

**********
* CURRENT PROJECT STATUS *
* ROADWAY FOUNDATION SECTION *
**********

| PIN | PROJECT | PAY PERIOD NUMBER | FUNCT CODE | STATUS | S E N R | D S N R | PROJ RECVD | PS&E | PLANS RECVD | BORINGS RECVD | LAB DATA RECVD | TARGET COMP DATE | DESIGN STARTED | DESIGN COMPLETE | # PROB IN | # PROB OUT | COMMENTS |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| E353D | DRILL LOG INTERPRETATION | 2 | E353 | ACTIVE | FA | WSJ | 07/01/85 | / / | / / | / / | / / | / / | / / | / / | 1 | 0 | Additional research in progress as of 2/25/86. NO ACTIVITY DURING MAY. |
| E353G | DUTCH CONE INTERP | 2 | E353 | BACKLOG | FA | | 07/01/85 | / / | / / | / / | / / | / / | / / | / / | 1 | 0 | No ACTIVITY. |
| E353I | Pp VS STRENGTH FOR ORG L | 2 | E353 | ACTIVE | FA | WSJ | 12/01/85 | / / | / / | / / | / / | / / | / / | / / | 1 | 0 | Literature research in progress (2/25/86) |
| E353L | CLOSE SEQ.EXC. & BACKFILL | 2 | E353 | NEW | FA | WSJ | 03/19/86 | / / | / / | / / | / / | / / | / / | / / | 1 | 0 | WAITING FOR REVIEW OF PROJECT SAMPLE BEFORE PROCEEDING. |
| ** Subtotal ** | | | | | | | | | | | | | | | 8 | 1 | |
| *** Total *** | | | | | | | | | | | | | | | 17 | 1 | |

**********
* CURRENT PROJECT STATUS *
* ROADWAY FOUNDATION SECTION *
**********

| PIN | PROJECT | PAY PERIOD NUMBER | FUNCT CODE | STATUS | S E N R | D S N R | PROJ RECVD | PS&E | PLANS RECVD | BORINGS RECVD | LAB DATA RECVD | TARGET COMP DATE | DESIGN STARTED | DESIGN COMPLETE | # PROB IN | # PROB OUT | COMMENTS |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| ** CATEGORY DESIGN | | | | | | | | | | | | | | | | | |
| 1057.11.121 | RTE.150 BROOKVIEW BRIDGE | 2 | E303 | ACTIVE | JTS | DJT | 03/03/86 | 04/01/88 | / / | / / | / / | 10/31/86 | 05/20/86 | / / | 1 | | @ VANE TESTS AND BORINGS IN PROGRESS. |
| 6218.08.121 | BENNETTSBURG-PERRY CITY | 2 | E303 | ACTIVE | JTS | FAA | 05/20/86 | 08/01/87 | / / | / / | / / | / / | / / | / / | 1 | | @ WILL RECEIVE PLANS AND PROFILE FROM THE REGION SOON, AS PER E. LANGE. |
| E112.18.701 | TALLYRAND SWAMP | 2 | E303 | INACTIVE | JTS | RJS | 04/01/84 | / / | / / | / / | / / | / / | / / | 05/01/85 | 1 | 1 | THRUWAY PROJECT. Investigation complete. Recommendations verbally transmitted to consultant. No response since 5/85. |
| M104.00.701 | RT.22,WADHAMS&WALLONSBURG | 2 | E303 | ACTIVE | JTS | RJS | 12/01/85 | / / | 12/01/85 | / / | / / | 08/01/86 | 05/05/86 | / / | 1 | | @ PRELIMINARY COST ESTIMATE AND BORING REQUEST SUBMITTED TO REGION. DRILLING COMPLETED 5/6/86. DAVE T. HAS WADHAMS AND SULLY HAS WALLONSBURG. |
| M604.00.701 | RTE 19 BELFAST | 2 | E303 | ACTIVE | JTS | RJS | 07/01/85 | / / | 09/01/85 | 01/29/86 | / / | 08/01/86 | 04/15/86 | / / | 1 | | @ SLOW SLOPE MOVEMENT. No rush - correction is cost dependent. Preliminary borings requested 9/26/85, received 1/29/86. |
| ** Subtotal ** | | | | | | | | | | | | | | | 5 | 1 | |
| ** CATEGORY INSTRUMENTATION | | | | | | | | | | | | | | | | | |
| 0045.00. | NASSAU EXPRESSWAY | 2 | E303 | INACTIVE | JTS | RJS | 06/01/85 | / / | / / | / / | / / | / / | / / | / / | 1 | | @ When construction starts, instrumentation will monitor embankment settlement. |
| 3022.17.321 | RTE. 38 GROTON LOCKE | 2 | E303 | ACTIVE | JTS | REB | 07/01/85 | / / | / / | / / | / / | / / | / / | / / | 1 | | @ MONITORING POST-CONSTRUCTION MOVEMENT. NO MOVEMENT AS OF APRIL 1986. |

**********
* CURRENT PROJECT STATUS *
* ROADWAY FOUNDATION SECTION *
**********

| PIN | PROJECT | PAY PERIOD NUMBER | FUNCT CODE | STATUS | S E N R | D S N R | PROJ RECVD | PS&E | PLANS RECVD | BORINGS RECVD | LAB DATA RECVD | TARGET COMP DATE | DESIGN STARTED | DESIGN COMPLETE | # PROB IN | # PROB OUT | COMMENTS |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| ** Subtotal ** | | | | | | | | | | | | | | | 2 | 0 | |
| ** CATEGORY RESEARCH & DEVELOPMENT | | | | | | | | | | | | | | | | | |
| E353E | RECHARGE BASINS REPORT | 2 | E353 | BACKLOG | JTS | | 00/01/83 | / / | / / | / / | / / | 12/31/86 | / / | / / | 1 | 0 | RFS WILL COMPLETE MANUAL. |
| E353H | CONSTANT RATE OF STRAIN | 2 | E353 | ACTIVE | JTS | RJS | 12/01/85 | / / | / / | / / | / / | 11/01/86 | / / | / / | 1 | 0 | LAB TESTING IN PROGRESS. |
| E362K | TRIAX. CU EXTENSION TEST | 2 | E362 | ACTIVE | JTS | | 03/01/86 | / / | / / | / / | / / | / / | / / | / / | 0 | 0 | WORK PLAN IN PREPARATION. |
| ** Subtotal ** | | | | | | | | | | | | | | | 2 | 0 | |
| *** Total *** | | | | | | | | | | | | | | | 9 | 1 | |

REPORT OPTION # 3

"PROJECT MAN-DAYS CHECKSHEET"

RFS MANPOWER EXPENDITURE PER PROJECT
DATA ENTRY ERROR CHECKSHEET

| SENIOR | FUNCTION CODE | PIN | MANHOURS FOR SENIOR | DESIGNER | MANHOURS FOR DESIGNER |
|---|---|---|---|---|---|
| ** PAY PERIOD # 2 | | | | | |
| EDK | E304 | 3298.00.313 | 30.00 | | 0.00 |
| EDK | E353 | E104.05.701 | 39.00 | | 0.00 |
| EDK | E353 | P006.01.801 | 6.00 | | 0.00 |
| EDK | E303 | 2018.00 | 0.00 | JER | 9.50 |
| EDK | E304 | 3298.00.313 | 0.00 | JER | 30.00 |
| EDK | E309 | M104.00.701 | 0.00 | JER | 3.00 |
| EDK | E353 | P006.01.801 | 0.00 | JER | 23.50 |
| EDK | E354 | E354 | 0.00 | JSD | 49.50 |
| EDK | E354 | E354 | 0.00 | REG | 53.00 |
| FXA | E304 | 2378.12.311 | 9.00 | | 0.00 |
| FXA | E304 | 2378.13.311 | 11.00 | | 0.00 |
| FXA | E304 | 2378.16.311 | 13.00 | | 0.00 |
| FXA | E305 | 8030.20.121 | 13.00 | | 0.00 |
| FXA | E353 | E353 | 17.00 | | 0.00 |
| FXA | E303 | 2378.12.311 | 0.00 | MJB | 2.50 |
| FXA | E303 | 2378.13.311 | 0.00 | MJB | 27.50 |
| FXA | E303 | 2378.16.311 | 0.00 | MJB | 3.50 |
| FXA | E353 | E353 | 0.00 | MJB | 11.50 |
| FXA | E303 | M904.00.701 | 0.00 | PWB | 0.50 |
| FXA | E304 | 2018.00.322 | 0.00 | PWB | 18.00 |
| FXA | E304 | 2378.12.311 | 0.00 | PWB | 16.00 |
| FXA | E304 | 2378.16.311 | 0.00 | PWB | 8.00 |
| FXA | E353 | E353 | 0.00 | PWB | 25.50 |
| FXA | E304 | 3298.00.313 | 0.00 | WSJ | 7.50 |
| FXA | E305 | 8030.20.121 | 0.00 | WSJ | 17.00 |
| FXA | E353 | E353 | 0.00 | WSJ | 25.00 |
| JTS | E303 | 1057.11.121 | 4.00 | | 0.00 |
| JTS | E303 | M104.00.701 | 28.00 | | 0.00 |
| JTS | E303 | M604.00.701 | 3.50 | | 0.00 |
| JTS | E362 | E104.04.701 | 6.00 | | 0.00 |
| JTS | E362 | E362 | 19.00 | | 0.00 |
| JTS | E303 | M104.00.701 | 0.00 | DJT | 26.25 |
| JTS | E362 | E362 | 0.00 | DJT | 27.00 |
| JTS | E303 | 2006.09.101 | 0.00 | FAA | 11.50 |
| JTS | E304 | 2378.13.311 | 0.00 | FAA | 4.50 |
| JTS | E303 | M104.00.701 | 0.00 | JR | 30.00 |
| JTS | E354 | E354 | 0.00 | JR | 17.50 |
| JTS | E304 | E112.99.701 | 0.00 | JR | 4.00 |
| JTS | E303 | M104.00.701 | 0.00 | RJS | 58.00 |
| JTS | E303 | M604.00.701 | 0.00 | RJS | 12.50 |
| JTS | E305 | 0754.25.121 | 0.00 | RJS | 8.00 |

REPORT OPTION # 4

"PROJECT MAN-DAYS REPORT"

**********
* ROADWAY FOUNDATION SECTION *
* MAN-POWER EXPENDITURES PER PROJECT *
**********

| FAY PERIOD # | MAN-HOURS SENIOR FOR SENIOR | | MAN-HOURS DESIGNER FOR DESIGNER | | TOTAL MAN-HOURS FOR PROJECT | TOTAL MAN-DAYS FOR PROJECT |
|---|---|---|---|---|---|---|
| | | | | | | |
| PIN 0754.25.121 | | | | | | |
| * FUNCTION CODE E305 | | | | | | |
| 2 | 0.00 | JTS | 8.00 | RJS | 8.00 | 1.07 |
| Subsubtotal * | 0.00 | | 8.00 | | 8.00 | 1.07 |
| ** Subtotal ** | 0.00 | | 8.00 | | 8.00 | 1.07 |
| ** PIN 1057.11.121 | | | | | | |
| FUNCTION CODE E303 | | | | | | |
| | 6.00 | JTS | 0.00 | | 6.00 | 0.80 |
| 1 | 0.00 | JTS | 3.00 | DJT | 3.00 | 0.40 |
| | 4.00 | JTS | 0.00 | | 4.00 | 0.53 |
| | 7.50 | JTS | 0.00 | | 7.50 | 1.00 |
| 4 | 0.00 | JTS | 61.00 | DJT | 61.00 | 8.13 |
| 4 | 0.00 | BEB | 21.00 | JTS | 21.00 | 2.80 |
| | 0.00 | JTS | 23.50 | FAA | 23.50 | 3.13 |
| | 0.00 | JTS | 50.00 | DJT | 50.00 | 6.67 |
| 5 | 0.00 | JTS | 3.00 | FAA | 3.00 | 0.40 |
| | 9.00 | JTS | 0.00 | | 9.00 | 1.20 |
| | 11.00 | JTS | 0.00 | | 11.00 | 1.47 |
| 6 | 0.00 | JTS | 4.00 | FAA | 4.00 | 0.53 |
| 6 | 0.00 | JTS | 35.50 | DJT | 35.50 | 4.73 |
| Subsubtotal * | 37.50 | | 201.00 | | 238.50 | 31.80 |
| ** Subtotal ** | 37.50 | | 201.00 | | 238.50 | 31.80 |
| ** PIN 1089.34.122 | | | | | | |
| FUNCTION CODE E303 | | | | | | |
| 1 | 2.00 | EDK | 0.00 | | 2.00 | 0.27 |
| 1 | 0.00 | EDK | 20.50 | JSD | 20.50 | 2.73 |
| Subsubtotal * | 2.00 | | 20.50 | | 22.50 | 3.00 |
| ** Subtotal ** | 2.00 | | 20.50 | | 22.50 | 3.00 |
| ** PIN 1130.38.101 | | | | | | |
| FUNCTION CODE E303 | | | | | | |
| | 0.00 | JTS | 36.00 | JSR | 36.00 | 4.80 |
| 5 | 0.00 | JTS | 15.75 | DJT | 15.75 | 2.10 |
| | 0.00 | JTS | 29.50 | RJS | 29.50 | 3.93 |
| | 10.00 | JTS | 0.00 | | 10.00 | 1.33 |

**********
* ROADWAY FOUNDATION SECTION *
* MAN-POWER EXPENDITURES PER PROJECT *
**********

| PAY PERIOD # | MAN-HOURS SENIOR FOR SENIOR | MAN-HOURS DESIGNER FOR DESIGNER | TOTAL MAN-HOURS FOR PROJECT | TOTAL MAN-DAYS FOR PROJECT |
|---|---|---|---|---|
| | 12.50 JTS | 0.00 | 12.50 | 1.67 |
| 6 | 0.00 JTS | 52.50 RJS | 52.50 | 7.00 |
| 6 | 0.00 JTS | 14.00 JSR | 14.00 | 1.87 |
| * Subsubtotal * | | | | |
| | 22.50 | 147.75 | 170.25 | 22.70 |
| ** Subtotal ** | | | | |
| | 22.50 | 147.75 | 170.25 | 22.70 |
| ** PIN 1751.49.121 | | | | |
| * FUNCTION CODE E303 | | | | |
| | 0.00 JTS | 14.00 JSR | 14.00 | 1.87 |
| 6 | 0.00 JTS | 17.00 JSR | 17.00 | 2.27 |
| * Subsubtotal * | | | | |
| | 0.00 | 31.00 | 31.00 | 4.13 |
| * FUNCTION CODE E305 | | | | |
| | 0.00 | 6.50 JSD | 6.50 | 0.87 |
| | 0.00 EDK | 6.00 JSD | 6.00 | 0.80 |
| 6 | 8.00 EDK | 0.00 | 8.00 | 1.07 |
| * Subsubtotal * | | | | |
| | 8.00 | 12.50 | 20.50 | 2.73 |
| ** Subtotal ** | | | | |
| | 8.00 | 43.50 | 51.50 | 6.87 |
| ** PIN 2006.09.101 | | | | |
| * FUNCTION CODE E303 | | | | |
| | 33.50 JTS | 0.00 | 33.50 | 4.47 |
| 1 | 0.00 JTS | 51.50 RJS | 51.50 | 6.87 |
| 1 | 0.00 JTS | 58.25 FAA | 58.25 | 7.77 |
| | 0.00 JTS | 11.50 FAA | 11.50 | 1.53 |
| | 0.00 | 16.00 FAA | 16.00 | 2.13 |
| * Subsubtotal * | | | | |
| | 33.50 | 137.25 | 170.75 | 22.77 |
| * Subtotal ** | | | | |
| | 33.50 | 137.25 | 170.75 | 22.77 |
| PIN 2018.00 | | | | |
| * FUNCTION CODE E303 | | | | |
| | 0.00 EDK | 9.50 JER | 9.50 | 1.27 |
| Subsubtotal * | | | | |
| | 0.00 | 9.50 | 9.50 | 1.27 |

**********
* ROADWAY FOUNDATION SECTION *
* MAN-POWER EXPENDITURES PER PROJECT *
**********

| PAY PERIOD # | MAN-HOURS SENIOR FOR SENIOR | | MAN-HOURS DESIGNER FOR DESIGNER | | TOTAL MAN-HOURS FOR PROJECT | TOTAL MAN-DAYS FOR PROJECT |
|---|---|---|---|---|---|---|
| * Subtotal ** | 0.00 | | 9.50 | | 9.50 | 1.27 |
| * PIN 2018.00.322 | | | | | | |
| * FUNCTION CODE E304 | | | | | | |
| | 0.00 | FXA | 18.00 | PWB | 18.00 | 2.40 |
| | 3.00 | FXA | 0.00 | | 3.00 | 0.40 |
| | 0.00 | | 8.50 | FWB | 8.50 | 1.13 |
| 4 | 0.00 | FXA | 2.50 | PWB | 2.50 | 0.33 |
| | 0.00 | FXA | 3.50 | PWB | 3.50 | 0.47 |
| Subsubtotal * | 3.00 | | 32.50 | | 35.50 | 4.73 |
| ** Subtotal ** | 3.00 | | 32.50 | | 35.50 | 4.73 |
| ** PIN 2378.12.311 | | | | | | |
| FUNCTION CODE E303 | | | | | | |
| 1 | 0.00 | FXA | 7.50 | MJB | 7.50 | 1.00 |
| | 0.00 | FXA | 2.50 | MJB | 2.50 | 0.33 |
| | 0.00 | FAX | 35.00 | MJB | 35.00 | 4.67 |
| * Subsubtotal * | 0.00 | | 45.00 | | 45.00 | 6.00 |
| FUNCTION CODE E304 | | | | | | |
| 3 | 17.50 | FXA | 0.00 | | 17.50 | 2.33 |
| | 19.00 | FXA | 0.00 | | 19.00 | 2.53 |
| | 9.00 | FXA | 0.00 | | 9.00 | 1.20 |
| 2 | 0.00 | FXA | 16.00 | PWB | 16.00 | 2.13 |
| 3 | 0.00 | | 10.00 | FWB | 10.00 | 1.33 |
| | 0.00 | | 17.75 | MJB | 17.75 | 2.37 |
| | 0.00 | FXA | 8.50 | PWB | 8.50 | 1.13 |
| 4 | 0.00 | FXA | 10.00 | MJB | 10.00 | 1.33 |
| | 12.50 | FXA | 0.00 | | 12.50 | 1.67 |
| | 0.00 | BEB | 12.00 | JTS | 12.00 | 1.60 |
| 5 | 27.00 | FXA | 0.00 | | 27.00 | 3.60 |
| 5 | 0.00 | FXA | 49.50 | MJB | 49.50 | 6.60 |
| | 0.00 | FXA | 3.00 | PWB | 3.00 | 0.40 |
| | 39.50 | FAX | 0.00 | | 39.50 | 5.27 |
| 6 | 0.00 | FXA | 17.00 | MJB | 17.00 | 2.27 |
| | 0.00 | FXA | 28.50 | PWB | 28.50 | 3.80 |
| Subsubtotal * | 124.50 | | 172.25 | | 296.75 | 39.57 |

**********
* ROADWAY FOUNDATION SECTION *
* MAN-POWER EXPENDITURES PER PROJECT *
**********

| PAY PERIOD # | MAN-HOURS SENIOR FOR SENIOR | | MAN-HOURS DESIGNER FOR DESIGNER | | TOTAL MAN-HOURS FOR PROJECT | TOTAL MAN-DAYS FOR PROJECT |
|---|---|---|---|---|---|---|
| | FUNCTION CODE E304 | | | | | |
| 4 | 0.00 | JTS | 7.50 | RJS | 7.50 | 1.00 |
| * Subsubtotal * | 0.00 | | 7.50 | | 7.50 | 1.00 |
| ** Subtotal ** | 124.50 | | 224.75 | | 349.25 | 46.57 |
| * PIN 2378.13.311 | | | | | | |
| * FUNCTION CODE E303 | | | | | | |
| | 0.00 | FXA | 5.00 | MJB | 5.00 | 0.67 |
| 2 | 0.00 | FXA | 27.50 | MJB | 27.50 | 3.67 |
| * Subsubtotal * | 0.00 | | 32.50 | | 32.50 | 4.33 |
| * FUNCTION CODE E304 | | | | | | |
| 1 | 16.50 | FXA | 0.00 | | 16.50 | 2.20 |
| | 0.00 | FXA | 5.50 | PWB | 5.50 | 0.73 |
| 2 | 11.00 | FXA | 0.00 | | 11.00 | 1.47 |
| 2 | 0.00 | JTS | 4.50 | FAA | 4.50 | 0.60 |
| | 11.50 | FXA | 0.00 | | 11.50 | 1.53 |
| | 0.00 | | 25.50 | PWB | 25.50 | 3.40 |
| 3 | 0.00 | | 52.75 | MJB | 52.75 | 7.03 |
| 3 | 0.00 | | 8.50 | FAA | 8.50 | 1.13 |
| | 0.00 | FXA | 14.00 | PWB | 14.00 | 1.87 |
| 4 | 0.00 | FXA | 9.50 | MJB | 9.50 | 1.27 |
| 4 | 16.00 | FXA | 0.00 | | 16.00 | 2.13 |
| | 11.50 | FXA | 0.00 | | 11.50 | 1.53 |
| | 0.00 | FXA | 14.00 | PWB | 14.00 | 1.87 |
| 6 | 6.50 | FAX | 0.00 | | 6.50 | 0.87 |
| | 0.00 | FXA | 15.00 | PWB | 15.00 | 2.00 |
| 3 | 0.00 | FXA | 4.00 | PWB | 4.00 | 0.53 |
| * Subsubtotal * | 73.00 | | 153.25 | | 226.25 | 30.17 |
| * Subtotal ** | 73.00 | | 185.75 | | 258.75 | 34.50 |
| * PIN 2378.13.322 | | | | | | |
| * FUNCTION CODE E304 | | | | | | |
| 5 | 0.00 | FXA | 1.00 | REG | 1.00 | 0.13 |
| Subsubtotal * | 0.00 | | 1.00 | | 1.00 | 0.13 |

**********
* ROADWAY FOUNDATION SECTION *
* MAN-POWER EXPENDITURES PER PROJECT *
**********

| PAY PERIOD # | MAN-HOURS SENIOR FOR SENIOR | | MAN-HOURS DESIGNER FOR DESIGNER | | TOTAL MAN-HOURS FOR PROJECT | TOTAL MAN-DAYS FOR PROJECT |
|---|---|---|---|---|---|---|
| * Subtotal ** | | | | | | |
| | 0.00 | | 1.00 | | 1.00 | 0.13 |
| * PIN 2378.16.311 | | | | | | |
| * FUNCTION CODE E303 | | | | | | |
| 1 | 0.00 | FXA | 19.25 | MJB | 19.25 | 2.57 |
| | 0.00 | JTS | 7.50 | DJT | 7.50 | 1.00 |
| 2 | 0.00 | FXA | 3.50 | MJB | 3.50 | 0.47 |
| * Subsubtotal * | | | | | | |
| | 0.00 | | 30.25 | | 30.25 | 4.03 |
| * FUNCTION CODE E304 | | | | | | |
| | 17.50 | FXA | 0.00 | | 17.50 | 2.33 |
| | 0.00 | FXA | 7.25 | WSJ | 7.25 | 0.97 |
| 1 | 0.00 | FXA | 3.00 | PWB | 3.00 | 0.40 |
| 2 | 13.00 | FXA | 0.00 | | 13.00 | 1.73 |
| | 0.00 | FXA | 8.00 | PWB | 8.00 | 1.07 |
| | 8.50 | FXA | 0.00 | | 8.50 | 1.13 |
| 3 | 0.00 | | 8.00 | PWB | 8.00 | 1.07 |
| | 0.00 | | 4.50 | MJB | 4.50 | 0.60 |
| | 0.00 | FXA | 7.00 | PWB | 7.00 | 0.93 |
| 4 | 0.00 | FXA | 7.50 | MJB | 7.50 | 1.00 |
| 4 | 12.00 | FXA | 0.00 | | 12.00 | 1.60 |
| | 13.25 | FXA | 0.00 | | 13.25 | 1.77 |
| | 0.00 | FXA | 4.00 | PWB | 4.00 | 0.53 |
| 6 | 5.00 | FAX | 0.00 | | 5.00 | 0.67 |
| | 0.00 | FXA | 6.50 | PWB | 6.50 | 0.87 |
| * Subsubtotal * | | | | | | |
| | 69.25 | | 55.75 | | 125.00 | 16.67 |
| ** Subtotal ** | | | | | | |
| | 69.25 | | 86.00 | | 155.25 | 20.70 |
| ** PIN 2378.16.312 | | | | | | |
| * FUNCTION CODE E304 | | | | | | |
| 1 | 0.00 | EDK | 7.50 | REG | 7.50 | 1.00 |
| * Subsubtotal * | | | | | | |
| | 0.00 | | 7.50 | | 7.50 | 1.00 |
| ** Subtotal ** | | | | | | |
| | 0.00 | | 7.50 | | 7.50 | 1.00 |

**********
* ROADWAY FOUNDATION SECTION *
* MAN-POWER EXPENDITURES PER PROJECT *
**********

| PAY PERIOD # | MAN-HOURS SENIOR FOR SENIOR | | MAN-HOURS DESIGNER FOR DESIGNER | | TOTAL MAN-HOURS FOR PROJECT | TOTAL MAN-DAYS FOR PROJECT |
|---|---|---|---|---|---|---|
| | | | | | | |
| * PIN Z378.16.701 | | | | | | |
| * FUNCTION CODE E303 | | | | | | |
| | 0.00 | JTS | 7.50 | JR | 7.50 | 1.00 |
| Subsubtotal * | | | | | | |
| | 0.00 | | 7.50 | | 7.50 | 1.00 |
| ** Subtotal ** | | | | | | |
| | 0.00 | | 7.50 | | 7.50 | 1.00 |
| ** PIN 3298.00.313 | | | | | | |
| FUNCTION CODE E303 | | | | | | |
| 3 | 0.00 | | 9.50 | JR | 9.50 | 1.27 |
| 4 | 0.00 | JTS | 5.00 | JSR | 5.00 | 0.67 |
| Subsubtotal * | | | | | | |
| | 0.00 | | 14.50 | | 14.50 | 1.93 |
| FUNCTION CODE E304 | | | | | | |
| | 0.00 | FXA | 7.50 | WSJ | 7.50 | 1.00 |
| 2 | 30.00 | EDK | 0.00 | | 30.00 | 4.00 |
| 2 | 0.00 | EDK | 30.00 | JER | 30.00 | 4.00 |
| | 0.00 | | 6.00 | WSJ | 6.00 | 0.80 |
| 3 | 40.00 | EDK | 0.00 | | 40.00 | 5.33 |
| 3 | 0.00 | | 75.00 | JER | 75.00 | 10.00 |
| | 0.00 | EDK | 62.50 | JER | 62.50 | 8.33 |
| | 0.00 | BEB | 24.50 | EDK | 24.50 | 3.27 |
| 5 | 40.00 | EDK | 0.00 | | 40.00 | 5.33 |
| 5 | 0.00 | EDK | 71.00 | JER | 71.00 | 9.47 |
| | 0.00 | EDK | 75.00 | JER | 75.00 | 10.00 |
| 6 | 27.00 | EDK | 0.00 | | 27.00 | 3.60 |
| * Subsubtotal * | | | | | | |
| | 137.00 | | 351.50 | | 488.50 | 65.13 |
| * Subtotal ** | | | | | | |
| | 137.00 | | 366.00 | | 503.00 | 67.07 |
| * PIN 4088.02.114 | | | | | | |
| * FUNCTION CODE E305 | | | | | | |
| | 0.00 | BEB | 6.00 | EDK | 6.00 | 0.80 |
| 5 | 20.00 | EDK | 0.00 | | 20.00 | 2.67 |
| 6 | 14.00 | EDK | 0.00 | | 14.00 | 1.87 |
| Subsubtotal * | | | | | | |
| | 34.00 | | 6.00 | | 40.00 | 5.33 |

**********
* ROADWAY FOUNDATION SECTION *
* MAN-POWER EXPENDITURES PER PROJECT *
**********

| PAY PERIOD # | MAN-HOURS SENIOR FOR SENIOR | | MAN-HOURS DESIGNER FOR DESIGNER | | TOTAL MAN-HOURS FOR PROJECT | TOTAL MAN-DAYS FOR PROJECT |
|---|---|---|---|---|---|---|
| ** Subtotal ** | | | | | | |
| | 34.00 | | 6.00 | | 40.00 | 5.33 |
| ** PIN 4088.03.114 | | | | | | |
| * FUNCTION CODE E305 | | | | | | |
| 6 | 0.00 | FXA | 38.00 | WSJ | 38.00 | 5.07 |
| * Subsubtotal * | | | | | | |
| | 0.00 | | 38.00 | | 38.00 | 5.07 |
| ** Subtotal ** | | | | | | |
| | 0.00 | | 38.00 | | 38.00 | 5.07 |
| ** PIN 5268.16.121 | | | | | | |
| * FUNCTION CODE E305 | | | | | | |
| 6 | 2.50 | JTS | 0.00 | | 2.50 | 0.33 |
| 6 | 0.00 | JTS | 4.50 | RJS | 4.50 | 0.60 |
| * Subsubtotal * | | | | | | |
| | 2.50 | | 4.50 | | 7.00 | 0.93 |
| ** Subtotal ** | | | | | | |
| | 2.50 | | 4.50 | | 7.00 | 0.93 |
| ** PIN 5935.56.304 | | | | | | |
| * FUNCTION CODE E321 | | | | | | |
| 1 | 0.00 | EDK | 0.00 | | 0.00 | 0.00 |
| * Subsubtotal * | | | | | | |
| | 0.00 | | 0.00 | | 0.00 | 0.00 |
| ** Subtotal ** | | | | | | |
| | 0.00 | | 0.00 | | 0.00 | 0.00 |
| ** PIN 6006.60.323 | | | | | | |
| * FUNCTION CODE E304 | | | | | | |
| 4 | 0.00 | FXA | 5.50 | PWB | 5.50 | 0.73 |
| 4 | 2.50 | FXA | 0.00 | | 2.50 | 0.33 |
| 5 | 4.50 | FXA | 0.00 | | 4.50 | 0.60 |
| 5 | 0.00 | FXA | 15.00 | PWB | 15.00 | 2.00 |
| * Subsubtotal * | | | | | | |
| | 7.00 | | 20.50 | | 27.50 | 3.67 |
| ** Subtotal ** | | | | | | |
| | 7.00 | | 20.50 | | 27.50 | 3.67 |

**********
* ROADWAY FOUNDATION SECTION *
* MAN-POWER EXPENDITURES PER PROJECT *
**********

| PAY PERIOD # | MAN-HOURS SENIOR FOR SENIOR | | MAN-HOURS DESIGNER FOR DESIGNER | | TOTAL MAN-HOURS FOR PROJECT | TOTAL MAN-DAYS FOR PROJECT |
|---|---|---|---|---|---|---|
| ** PIN 6213.08.121 | | | | | | |
| * FUNCTION CODE E303 | | | | | | |
| 4 | 0.00 | BEB | 8.00 | JTS | 8.00 | 1.07 |
| 4 | 0.00 | JTS | 24.75 | FAA | 24.75 | 3.30 |
| 5 | 0.00 | JTS | 55.00 | FAA | 55.00 | 7.33 |
| 5 | 20.50 | JTS | 0.00 | | 20.50 | 2.73 |
| 6 | 18.50 | JTS | 0.00 | | 18.50 | 2.47 |
| 6 | 0.00 | JTS | 57.50 | FAA | 57.50 | 7.67 |
| * Subsubtotal * | 39.00 | | 145.25 | | 184.25 | 24.57 |
| ** Subtotal ** | 39.00 | | 145.25 | | 184.25 | 24.57 |
| ** PIN 7750.94.121 | | | | | | |
| * FUNCTION CODE E305 | | | | | | |
| 3 | 0.00 | | 11.50 | PWB | 11.50 | 1.53 |
| * Subsubtotal * | 0.00 | | 11.50 | | 11.50 | 1.53 |
| ** Subtotal ** | 0.00 | | 11.50 | | 11.50 | 1.53 |
| ** PIN 8030.20.121 | | | | | | |
| * FUNCTION CODE E305 | | | | | | |
| 2 | 13.00 | FXA | 0.00 | | 13.00 | 1.73 |
| 2 | 0.00 | FXA | 17.00 | WSJ | 17.00 | 2.27 |
| 3 | 12.00 | FXA | 0.00 | | 12.00 | 1.60 |
| 3 | 0.00 | | 30.25 | WSJ | 30.25 | 4.03 |
| 5 | 0.00 | FXA | 2.50 | WSJ | 2.50 | 0.33 |
| * Subsubtotal * | 25.00 | | 49.75 | | 74.75 | 9.97 |
| ** Subtotal ** | 25.00 | | 49.75 | | 74.75 | 9.97 |
| ** PIN 8040.57.302 | | | | | | |
| * FUNCTION CODE E124 | | | | | | |
| 4 | 0.00 | JTS | 4.50 | FAA | 4.50 | 0.60 |
| * Subsubtotal * | 0.00 | | 4.50 | | 4.50 | 0.60 |
| ** Subtotal ** | 0.00 | | 4.50 | | 4.50 | 0.60 |

**********
* ROADWAY FOUNDATION SECTION *
* MAN-POWER EXPENDITURES PER PROJECT *
**********

| PAY PERIOD # | MAN-HOURS SENIOR FOR SENIOR | MAN-HOURS DESIGNER FOR DESIGNER | TOTAL MAN-HOURS FOR PROJECT | TOTAL MAN-DAYS FOR PROJECT |
|---|---|---|---|---|
| ** PIN 8068.00.125 | | | | |
| * FUNCTION CODE E303 | | | | |
| 1 | 0.00 JTS | 4.00 RJS | 4.00 | 0.53 |
| * Subsubtotal * | 0.00 | 4.00 | 4.00 | 0.53 |
| ** Subtotal ** | 0.00 | 4.00 | 4.00 | 0.53 |
| ** PIN 9095.04.121 | | | | |
| * FUNCTION CODE E303 | | | | |
| 1 | 3.00 JTS | 0.00 | 3.00 | 0.40 |
| * Subsubtotal * | 3.00 | 0.00 | 3.00 | 0.40 |
| ** Subtotal ** | 3.00 | 0.00 | 3.00 | 0.40 |
| ** PIN 9095.36.101 | | | | |
| * FUNCTION CODE E308 | | | | |
| 4 | 0.00 BEB | 32.00 EDK | 32.00 | 4.27 |
| * Subsubtotal * | 0.00 | 32.00 | 32.00 | 4.27 |
| ** Subtotal ** | 0.00 | 32.00 | 32.00 | 4.27 |
| ** PIN 9095.36.301 | | | | |
| * FUNCTION CODE E308 | | | | |
| 3 | 0.00 | 10.00 WSJ | 10.00 | 1.33 |
| 3 | 15.00 EDK | 0.00 | 15.00 | 2.00 |
| 4 | 0.00 FXA | 67.00 WSJ | 67.00 | 8.93 |
| 5 | 0.00 FXA | 24.00 WSJ | 24.00 | 3.20 |
| 6 | 0.00 FXA | 6.00 WSJ | 6.00 | 0.80 |
| * Subsubtotal * | 15.00 | 107.00 | 122.00 | 16.27 |
| ** Subtotal ** | 15.00 | 107.00 | 122.00 | 16.27 |
| ** PIN 9357.18.111 | | | | |
| * FUNCTION CODE E305 | | | | |
| 5 | 0.00 EDK | 2.00 JER | 2.00 | 0.27 |

**********
* ROADWAY FOUNDATION SECTION *
* MAN-POWER EXPENDITURES PER PROJECT *
**********

| PAY PERIOD # | MAN-HOURS SENIOR FOR SENIOR | | MAN-HOURS DESIGNER FOR DESIGNER | | TOTAL MAN-HOURS FOR PROJECT | TOTAL MAN-DAYS FOR PROJECT |
|---|---|---|---|---|---|---|
| * Subsubtotal * | | | | | | |
| | 0.00 | | 2.00 | | 2.00 | 0.27 |
| ** Subtotal ** | | | | | | |
| | 0.00 | | 2.00 | | 2.00 | 0.27 |
| ** PIN 9801.56. | | | | | | |
| * FUNCTION CODE E303 | | | | | | |
| 5 | 0.00 | JTS | 7.50 | DJT | 7.50 | 1.00 |
| * Subsubtotal * | | | | | | |
| | 0.00 | | 7.50 | | 7.50 | 1.00 |
| ** Subtotal ** | | | | | | |
| | 0.00 | | 7.50 | | 7.50 | 1.00 |
| ** PIN 9801.56.101 | | | | | | |
| * FUNCTION CODE E303 | | | | | | |
| 6 | 0.00 | JTS | 7.50 | DJT | 7.50 | 1.00 |
| * Subsubtotal * | | | | | | |
| | 0.00 | | 7.50 | | 7.50 | 1.00 |
| ** Subtotal ** | | | | | | |
| | 0.00 | | 7.50 | | 7.50 | 1.00 |
| ** PIN E104.04.701 | | | | | | |
| * FUNCTION CODE E362 | | | | | | |
| 1 | 6.50 | JTS | 0.00 | | 6.50 | 0.87 |
| 2 | 6.00 | JTS | 0.00 | | 6.00 | 0.80 |
| 3 | 5.00 | JTS | 0.00 | | 5.00 | 0.67 |
| 4 | 0.00 | BEB | 3.00 | JTS | 3.00 | 0.40 |
| * Subsubtotal * | | | | | | |
| | 17.50 | | 3.00 | | 20.50 | 2.73 |
| ** Subtotal ** | | | | | | |
| | 17.50 | | 3.00 | | 20.50 | 2.73 |
| ** PIN E104.05.701 | | | | | | |
| * FUNCTION CODE E353 | | | | | | |
| 1 | 56.50 | EDK | 0.00 | | 56.50 | 7.53 |
| 1 | 0.00 | EDK | 13.00 | REG | 13.00 | 1.73 |
| 2 | 39.00 | EDK | 0.00 | | 39.00 | 5.20 |
| 3 | 20.00 | EDK | 0.00 | | 20.00 | 2.67 |
| 6 | 27.00 | EDK | 0.00 | | 27.00 | 3.60 |

**********
* ROADWAY FOUNDATION SECTION *
* MAN-POWER EXPENDITURES PER PROJECT *
**********

| PAY PERIOD # | MAN-HOURS SENIOR FOR SENIOR | | MAN-HOURS DESIGNER FOR DESIGNER | | TOTAL MAN-HOURS FOR PROJECT | TOTAL MAN-DAYS FOR PROJECT |
|---|---|---|---|---|---|---|
| * Subsubtotal * | | | | | | |
| | 142.50 | | 13.00 | | 155.50 | 20.73 |
| ** Subtotal ** | | | | | | |
| | 142.50 | | 13.00 | | 155.50 | 20.73 |
| ** PIN E112.99.701 | | | | | | |
| * FUNCTION CODE E384 | | | | | | |
| 2 | 0.00 | JTS | 4.00 | JR | 4.00 | 0.53 |
| 3 | 0.00 | | 14.00 | JR | 14.00 | 1.87 |
| 3 | 0.00 | | 7.50 | FAA | 7.50 | 1.00 |
| 4 | 0.00 | JTS | 1.00 | JSR | 1.00 | 0.13 |
| * Subsubtotal * | | | | | | |
| | 0.00 | | 26.50 | | 26.50 | 3.53 |
| ** Subtotal ** | | | | | | |
| | 0.00 | | 26.50 | | 26.50 | 3.53 |
| ** PIN E353 | | | | | | |
| * FUNCTION CODE E353 | | | | | | |
| 1 | 14.00 | FXA | 0.00 | | 14.00 | 1.87 |
| 1 | 0.00 | FXA | 20.75 | WSJ | 20.75 | 2.77 |
| 1 | 0.00 | FXA | 29.00 | PWB | 29.00 | 3.87 |
| 1 | 0.00 | FXA | 23.00 | MJB | 23.00 | 3.07 |
| 2 | 17.00 | FXA | 0.00 | | 17.00 | 2.27 |
| 2 | 0.00 | FXA | 25.00 | WSJ | 25.00 | 3.33 |
| 2 | 0.00 | FXA | 25.50 | PWB | 25.50 | 3.40 |
| 2 | 0.00 | FXA | 11.50 | MJB | 11.50 | 1.53 |
| 3 | 12.25 | FXA | 0.00 | | 12.25 | 1.63 |
| 4 | 0.00 | FXA | 29.50 | MJB | 29.50 | 3.93 |
| 4 | 13.50 | FXA | 0.00 | | 13.50 | 1.80 |
| 5 | 17.00 | FXA | 0.00 | | 17.00 | 2.27 |
| 5 | 0.00 | FXA | 23.00 | MJB | 23.00 | 3.07 |
| 5 | 0.00 | FXA | 28.50 | PWB | 28.50 | 3.80 |
| 5 | 0.00 | FXA | 25.50 | WSJ | 25.50 | 3.40 |
| 6 | 9.00 | FAX | 0.00 | | 9.00 | 1.20 |
| 6 | 0.00 | FXA | 21.50 | MJB | 21.50 | 2.87 |
| 6 | 0.00 | FXA | 7.50 | WSJ | 7.50 | 1.00 |
| 6 | 0.00 | FXA | 19.00 | WSJ | 19.00 | 2.53 |
| * Subsubtotal * | | | | | | |
| | 82.75 | | 289.25 | | 372.00 | 49.60 |
| ** Subtotal ** | | | | | | |
| | 82.75 | | 289.25 | | 372.00 | 49.60 |

**********
* ROADWAY FOUNDATION SECTION *
* MAN-POWER EXPENDITURES PER PROJECT *
**********

| PAY PERIOD # | MAN-HOURS SENIOR FOR SENIOR | | MAN-HOURS DESIGNER FOR DESIGNER | | TOTAL MAN-HOURS FOR PROJECT | TOTAL MAN-DAYS FOR PROJECT |
|---|---|---|---|---|---|---|
| * PIN E354 | | | | | | |
| * FUNCTION CODE E354 | | | | | | |
| | 0.00 | FXA | 3.00 | WSJ | 3.00 | 0.40 |
| | 0.00 | JTS | 7.50 | JR | 7.50 | 1.00 |
| 1 | 0.00 | EDK | 39.00 | REG | 39.00 | 5.20 |
| 1 | 0.00 | EDK | 32.00 | JSD | 32.00 | 4.27 |
| 1 | 0.00 | JTS | 17.50 | JR | 17.50 | 2.33 |
| 2 | 0.00 | EDK | 53.00 | REG | 53.00 | 7.07 |
| 2 | 0.00 | EDK | 49.50 | JSD | 49.50 | 6.60 |
| 3 | 0.00 | | 3.50 | WSJ | 3.50 | 0.47 |
| 3 | 0.00 | | 9.50 | JR | 9.50 | 1.27 |
| 3 | 0.00 | | 75.00 | REG | 75.00 | 10.00 |
| 3 | 0.00 | | 6.00 | JSD | 6.00 | 0.80 |
| 3 | 0.00 | JTS | 10.00 | JSR | 10.00 | 1.33 |
| 4 | 0.00 | EDK | 67.50 | REG | 67.50 | 9.00 |
| 4 | 0.00 | EDK | 51.50 | JSD | 51.50 | 6.87 |
| 5 | 0.00 | EDK | 74.00 | REG | 74.00 | 9.87 |
| 5 | 0.00 | JTS | 25.00 | JSR | 25.00 | 3.33 |
| 5 | 13.50 | JTS | 0.00 | | 13.50 | 1.80 |
| 5 | 16.50 | JTS | 0.00 | | 16.50 | 2.20 |
| 5 | 0.00 | JTS | 29.00 | JSR | 29.00 | 3.87 |
| 6 | 0.00 | EDK | 67.50 | REG | 67.50 | 9.00 |
| * Subsubtotal * | | | | | | |
| | 30.00 | | 620.00 | | 650.00 | 86.67 |
| ** Subtotal ** | | | | | | |
| | 30.00 | | 620.00 | | 650.00 | 86.67 |
| ** PIN E362 | | | | | | |
| * FUNCTION CODE E362 | | | | | | |
| 1 | 11.00 | JTS | 0.00 | | 11.00 | 1.47 |
| 1 | 0.00 | JTS | 46.50 | DJT | 46.50 | 6.20 |
| 2 | 19.00 | JTS | 0.00 | | 19.00 | 2.53 |
| 2 | 0.00 | JTS | 27.00 | DJT | 27.00 | 3.60 |
| 3 | 6.00 | JTS | 0.00 | | 6.00 | 0.80 |
| 6 | 6.50 | JTS | 0.00 | | 6.50 | 0.87 |
| 6 | 0.00 | JTS | 17.00 | DJT | 17.00 | 2.27 |
| * Subsubtotal * | | | | | | |
| | 42.50 | | 90.50 | | 133.00 | 17.73 |
| ** Subtotal ** | | | | | | |
| | 42.50 | | 90.50 | | 133.00 | 17.73 |

**********
* ROADWAY FOUNDATION SECTION *
* MAN-POWER EXPENDITURES PER PROJECT *
**********

| PAY PERIOD # | MAN-HOURS SENIOR FOR SENIOR | | MAN-HOURS DESIGNER FOR DESIGNER | | TOTAL MAN-HOURS FOR PROJECT | TOTAL MAN-DAYS FOR PROJECT |
|---|---|---|---|---|---|---|
| * PIN E366 | | | | | | |
| * FUNCTION CODE E366 | | | | | | |
| | 0.00 | FXA | 3.50 | MJB | 3.50 | 0.47 |
| | 0.00 | FXA | 1.50 | MJB | 1.50 | 0.20 |
| * Subsubtotal * | | | | | | |
| | 0.00 | | 5.00 | | 5.00 | 0.67 |
| * Subtotal ** | | | | | | |
| | 0.00 | | 5.00 | | 5.00 | 0.67 |
| * PIN E501 | | | | | | |
| * FUNCTION CODE E501 | | | | | | |
| | 0.00 | | 1.50 | FAA | 1.50 | 0.20 |
| Subsubtotal * | | | | | | |
| | 0.00 | | 1.50 | | 1.50 | 0.20 |
| ** Subtotal ** | | | | | | |
| | 0.00 | | 1.50 | | 1.50 | 0.20 |
| ** PIN M104.00.701 | | | | | | |
| FUNCTION CODE E303 | | | | | | |
| 1 | 3.00 | JTS | 0.00 | | 3.00 | 0.40 |
| | 0.00 | JTS | 4.50 | RJS | 4.50 | 0.60 |
| | 28.00 | JTS | 0.00 | | 28.00 | 3.73 |
| 2 | 0.00 | JTS | 30.00 | JR | 30.00 | 4.00 |
| 2 | 0.00 | JTS | 26.25 | DJT | 26.25 | 3.50 |
| | 0.00 | JTS | 58.00 | RJS | 58.00 | 7.73 |
| | 37.50 | JTS | 0.00 | | 37.50 | 5.00 |
| 3 | 0.00 | | 33.00 | JR | 33.00 | 4.40 |
| | 0.00 | | 67.50 | DJT | 67.50 | 9.00 |
| | 0.00 | | 58.00 | RJS | 58.00 | 7.73 |
| 3 | 0.00 | | 32.75 | FAA | 32.75 | 4.37 |
| 4 | 0.00 | JTS | 51.50 | JSR | 51.50 | 6.87 |
| | 0.00 | JTS | 20.00 | RJS | 20.00 | 2.67 |
| | 0.00 | BEB | 12.00 | JTS | 12.00 | 1.60 |
| 5 | 0.00 | JTS | 41.50 | RJS | 41.50 | 5.53 |
| | 0.00 | JTS | 12.50 | FAA | 12.50 | 1.67 |
| | 9.00 | JTS | 0.00 | | 9.00 | 1.20 |
| * Subsubtotal * | | | | | | |
| | 77.50 | | 447.50 | | 525.00 | 70.00 |
| * FUNCTION CODE E309 | | | | | | |
| 2 | 0.00 | EDK | 3.00 | JER | 3.00 | 0.40 |
| 5 | 0.00 | EDK | 2.00 | JER | 2.00 | 0.27 |

**********
* ROADWAY FOUNDATION SECTION *
* MAN-POWER EXPENDITURES PER PROJECT *
**********

| PAY PERIOD # | MAN-HOURS SENIOR FOR SENIOR | | MAN-HOURS DESIGNER FOR DESIGNER | | TOTAL MAN-HOURS FOR PROJECT | TOTAL MAN-DAYS FOR PROJECT |
|---|---|---|---|---|---|---|
| * Subsubtotal * | | | | | | |
| | 0.00 | | 5.00 | | 5.00 | 0.67 |
| ** Subtotal ** | | | | | | |
| | 77.50 | | 452.50 | | 530.00 | 70.67 |
| ** PIN M504.00.701 | | | | | | |
| * FUNCTION CODE E303 | | | | | | |
| 1 | 2.00 | JTS | 0.00 | | 2.00 | 0.27 |
| * Subsubtotal * | | | | | | |
| | 2.00 | | 0.00 | | 2.00 | 0.27 |
| ** Subtotal ** | | | | | | |
| | 2.00 | | 0.00 | | 2.00 | 0.27 |
| ** PIN M604.00.701 | | | | | | |
| * FUNCTION CODE E303 | | | | | | |
| | 6.00 | JTS | 0.00 | | 6.00 | 0.80 |
| 1 | 0.00 | JTS | 10.00 | RJS | 10.00 | 1.33 |
| 2 | 3.50 | JTS | 0.00 | | 3.50 | 0.47 |
| 2 | 0.00 | JTS | 12.50 | RJS | 12.50 | 1.67 |
| 3 | 8.50 | JTS | 0.00 | | 8.50 | 1.13 |
| 3 | 0.00 | | 7.50 | RJS | 7.50 | 1.00 |
| 3 | 0.00 | | 4.50 | FAA | 4.50 | 0.60 |
| 4 | 0.00 | JTS | 34.50 | RJS | 34.50 | 4.60 |
| 4 | 0.00 | BEB | 2.50 | JTS | 2.50 | 0.33 |
| 5 | 0.00 | JTS | 3.00 | RJS | 3.00 | 0.40 |
| 5 | 2.00 | JTS | 0.00 | | 2.00 | 0.27 |
| 5 | 0.00 | JTS | 16.50 | RJS | 16.50 | 2.20 |
| * Subsubtotal * | | | | | | |
| | 20.00 | | 91.00 | | 111.00 | 14.80 |
| ** Subtotal ** | | | | | | |
| | 20.00 | | 91.00 | | 111.00 | 14.80 |
| ** PIN M804.00.701 | | | | | | |
| * FUNCTION CODE E124 | | | | | | |
| 4 | 0.00 | JTS | 6.50 | FAA | 6.50 | 0.87 |
| * Subsubtotal * | | | | | | |
| | 0.00 | | 6.50 | | 6.50 | 0.87 |
| ** Subtotal ** | | | | | | |
| | 0.00 | | 6.50 | | 6.50 | 0.87 |

**********
* ROADWAY FOUNDATION SECTION *
* MAN-POWER EXPENDITURES PER PROJECT *
**********

| PAY PERIOD # | MAN-HOURS SENIOR FOR SENIOR | | MAN-HOURS DESIGNER FOR DESIGNER | | TOTAL MAN-HOURS FOR PROJECT | TOTAL MAN-DAYS FOR PROJECT |
|---|---|---|---|---|---|---|
| * PIN M904.00.701 | | | | | | |
| * FUNCTION CODE E303 | | | | | | |
| | 3.00 | FXA | 0.00 | W | 3.00 | 0.40 |
| | 0.00 | FXA | 7.50 | PWB | 7.50 | 1.00 |
| 1 | 0.00 | FXA | 3.00 | MJB | 3.00 | 0.40 |
| 2 | 0.00 | FXA | 0.50 | PWB | 0.50 | 0.07 |
| | 0.00 | | 10.50 | PWB | 10.50 | 1.40 |
| * Subsubtotal * | | | | | | |
| | 3.00 | | 21.50 | | 24.50 | 3.27 |
| ** Subtotal ** | | | | | | |
| | 3.00 | | 21.50 | | 24.50 | 3.27 |
| ** PIN P006.01.801 | | | | | | |
| * FUNCTION CODE E353 | | | | | | |
| 1 | 8.00 | EDK | 0.00 | | 8.00 | 1.07 |
| | 0.00 | EDK | 0.00 | | 0.00 | 0.00 |
| | 6.00 | EDK | 0.00 | | 6.00 | 0.80 |
| 2 | 0.00 | EDK | 23.50 | JER | 23.50 | 3.13 |
| | 0.00 | | 5.00 | JEH | 5.00 | 0.67 |
| | 0.00 | EDK | 5.00 | JER | 5.00 | 0.67 |
| * Subsubtotal * | | | | | | |
| | 14.00 | | 33.50 | | 47.50 | 6.33 |
| ** Subtotal ** | | | | | | |
| | 14.00 | | 33.50 | | 47.50 | 6.33 |
| *** Total *** | | | | | | |
| | 1067.50 | | 3572.25 | | 4639.75 | 618.63 |

REPORT OPTION # 5

"END OF YEAR PROJECT STATUS REPORT"

Project Report including those with a status of completed.

# CURRENT PROJECT STATUS
## ROADWAY FOUNDATION SECTION

| PIN | PROJECT | PAY PERIOD NUMBER | FUNCT CODE | STATUS | S E N R | D S N R | PROJ RECVD | PS&E | PLANS RECVD | BORINGS RECVD | LAB DATA RECVD | TARGET COMP DATE | DESIGN STARTED | DESIGN COMPLETE | # PROB IN | # PROB OUT | COMMENTS |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| ** CATEGORY DESIGN | | | | | | | | | | | | | | | | | |
| 1057.11.121 | RTE.150 BROOKVIEW BRIDGE | 2 | E303 | ACTIVE | JTS | DJT | 03/03/86 | 04/01/88 | / / | / / | / / | 10/31/86 | 05/23/86 | / / | 1 | 0 | VANE TESTS AND BORINGS IN PROGRESS. |
| 1069.34.122 | RTE. 4 & 197 BRIDGES | 2 | E301 | ACTIVE | EDK | JSD | 10/01/85 | 06/01/87 | / / | / / | 02/01/86 | / / | / / | / / | 1 | 0 | Alignment change. New studies will be required. |
| 1347.04.121 | RTE 396 SELKIRK RR BR | 2 | E303 | COMPLETED | JTS | DJT | 02/10/86 | 08/01/86 | / / | 02/24/86 | 03/26/86 | 04/10/86 | 02/24/86 | 04/01/86 | 1 | 1 | PRELIMINARY DESIGN OUT FOR ALTERNATE C. |
| 1751.00.121 | HILL STR. NEW EASTON BR | 2 | E305 | COMPLETED | FA | MJB | 07/16/85 | 00/01/00 | / / | / / | / / | / / | / / | 01/17/86 | 1 | 0 | FIR. Recommended placing abutments and piers on piles. |
| 2006.09.101 | RTE 163 FT. PLAIN(#2) | 2 | E303 | COMPLETED | JTS | FAA | 07/01/85 | 06/01/86 | 08/07/85 | 10/31/85 | 11/06/86 | 04/15/86 | 11/10/85 | 04/16/86 | 2 | 1 | REPORT TRANSMITTED ON 4/16/86. |
| 2018.00. | RT.5S | 2 | E303 | BACKLOG | EDK | JER | 04/25/86 | 01/01/88 | / / | / / | / / | 09/30/86 | / / | / / | 1 | 0 | NOT A HOT JOB, SWAMP AREA. FIELD TRIP PLANNED FOR END OF MONTH. |
| 3298.00.313 | I-81, HIAWATHA BLVD. | 2 | E303 | NEW | EDK | JER | 01/01/86 | 01/01/88 | / / | / / | / / | / / | / / | / / | 1 | 0 | BORING PROGRAM ONGOING, SUBSIDENCE OR SHEAR FAILURE ? SLOPE INDICATORS AND OBSERVATION WELLS HAVE BEEN INSTALLED. |
| 3298.00.321 | HIAWATHA BLVD W.BERM #2 | 2 | E303 | COMPLETED | FA | WSJ | 12/12/85 | / / | 12/12/85 | / / | / / | 02/01/86 | 12/12/85 | 01/30/86 | 1 | 1 | Reactivated. Investigated feasability of placing additional 2'-4' of fill on west berm. Recommended 2' only. |
| 3314.15.121 | RTE. 34 AND 96 NEWFIELD | 2 | E303 | COMPLETED | JCI | JCI | 09/01/84 | 12/01/86 | / / | / / | / / | / / | 09/01/84 | 11/13/84 | 1 | 0 | RECOMMENDED SLOPE FLATTENING. |
| 5751.68.121 | BLEY ROAD | 2 | E303 | COMPLETED | EDK | WSJ | 05/01/85 | 05/01/86 | 12/01/85 | / / | / / | / / | 05/01/85 | 01/30/86 | 3 | 3 | Third report. Recommendations revised to a SLOPE FLATTENING TREATMENT. |
| 6006.04.121 | RTE 17 CORNING AREA | 2 | E303 | COMPLETED | JTS | DJT | 08/01/85 | / / | 11/01/85 | 09/19/85 | / / | 08/01/86 | 08/01/85 | 02/13/86 | 1 | 0 | SHOULDER FAILURE. Recommended excavate & backfill. |

CURRENT PROJECT STATUS
ROADWAY FOUNDATION SECTION

| PIN | PROJECT | PAY PERIOD NUMBER | FUNCT CODE | STATUS | S E N R | D S N R | PROJ RECVD | PS&E | PLANS RECVD | BORINGS RECVD | LAB DATA RECVD | TARGET COMP DATE | DESIGN STARTED | DESIGN COMPLETE | # PROB IN | # PROB OUT | COMMENTS |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 6218.08.121 | BENNETTSBURG-PERRY CITY | 2 | E303 | ACTIVE | JTS | FAA | 05/20/86 | 08/01/87 | / / | / / | / / | / / | / / | / / | 1 | 0 | WILL RECEIVE PLANS AND PROFILE FROM THE REGION SOON, AS PER E. LANGE. |
| 7110.02.121 | RTE 9B OVER RR | 2 | E303 | COMPLETED | FA | RLS | 02/05/86 | 05/01/86 | 01/24/86 | 02/14/86 | / / | 04/01/86 | / / | 03/21/86 | 1 | 0 | Bridge replacement with R.E. wall. |
| 8030.20. | RT.59 OVER PASCAK CREEK | 2 | E303 | NEW | FA | WSJ | 04/23/86 | 01/01/87 | / / | / / | / / | / / | / / | / / | 1 | 0 | SUBSURFACE EXPLORATION IN PROGRESS. |
| 8068.00.125 | RTE 9 SHEAFE ROAD | 2 | E303 | COMPLETED | JTS | RJS | 01/22/86 | 05/01/86 | 02/01/86 | 01/30/86 | 02/13/86 | 04/15/86 | 01/22/86 | 04/03/86 | 1 | 0 | REPORT OUT FOR WEST SIDE OF WIDENING. REPORT FOR EAST SIDE SENT OUT4/3/86. |
| 8751.05.121 | NANUET RR BUS LOT | 2 | E320 | COMPLETED | FA | RLS | 10/01/85 | / / | / / | 11/15/85 | 12/01/85 | 12/31/85 | 10/01/85 | 02/04/86 | 1 | 1 | FILLING OF SWAMP FOR PARKING LOT. Recommended Stage Const. & 6' surcharge. Reactivated. Investigated feasibility of placing 2&4' surcharge. Recommend 4' only. |
| 9044.22.121 | RTE. 30 GRAND GORGE | 2 | E303 | COMPLETED | EDK | REG | 01/01/85 | / / | / / | / / | / / | / / | 01/01/80 | 03/21/86 | 1 | 1 | STA-PODS. A experimental feature on site #4. |
| 9095.36.301 | SHARON SPRINGS WALL | 2 | E308 | ACTIVE | EDK | WSJ | 05/12/86 | / / | / / | / / | / / | 06/01/86 | 05/20/86 | / / | 2 | 0 | SLOPE STABILIZATION, WALL AT TOP TOE OF SLOPE. CONSTRUCTION PROBLEM. |
| E112.18.701 | TALLYRAND SWAMP | 2 | E303 | INACTIVE | JTS | RJS | 04/01/84 | / / | / / | / / | / / | / / | / / | 05/01/85 | 1 | 1 | THRUWAY PROJECT. Investigation complete. Recommendations verbally transmitted to consultant. No response since 5/85. |
| M104.00.701 | RT.22,WADHAMS&WALLONSBURG | 2 | E303 | ACTIVE | JTS | RJS | 12/01/85 | / / | 12/01/85 | / / | / / | 08/01/86 | 05/05/86 | / / | 1 | 0 | PRELIMINARY COST ESTIMATE AND BORING REQUEST SUBMITTED TO REGION. DRILLING COMPLETED 5/6/86. DAVE T. HAS WADHAMS AND SULLY HAS WALLONSBURG. |
| M104.00.701 | RTE 151 PIPE FAILURE | 2 | E310 | COMPLETED | EDK | JER | 12/01/85 | / / | / / | / / | / / | / / | / / | 01/31/86 | 1 | 1 | PIPE FAILURE. Recommended removal of pipe and berm in failure area. |

**********
* CURRENT PROJECT STATUS *
* ROADWAY FOUNDATION SECTION *
**********

| PIN | PROJECT | PAY PERIOD NUMBER | FUNCT CODE | STATUS | S E N W | D S N R | PROJ RECVD | PS&E | PLANS RECVD | BORINGS RECVD | LAB DATA RECVD | TARGET COMP DATE | DESIGN STARTED | DESIGN COMPLETE | # PROB IN | # PROB OUT | COMMENTS |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| M504.00.701 | RTE 280 ALLGANY RES'VOIR | 2 | E303 | COMPLETED | JTS | RJS | 01/01/84 | / / | / / | / / | / / | / / | / / | / / | 2 | 1 | OLD & SLOW MOVING FAILURE. REGION HAS PLACED ON HOLD UNTIL IT COMPLETELY FAILS BECAUSE OF THE HIGH COST OF REPAIRING IT NOW. BORINGS RQUESTED 2/24/84. |
| M504.00.701 | RTE. 353 LEAVENWORTH | 2 | E303 | COMPLETED | JTS | FAA | 10/01/82 | / / | 06/01/84 | 06/01/83 | / / | 04/15/86 | 03/01/83 | 04/11/86 | 1 | 1 | ANALYSIS COMPLETE 1/31/86. SUMMARY REPORT OF DESIGN ACTIVITES COMPLETED 4/11/866. |
| M604.00.701 | RTE 19 BELFAST | 2 | E303 | ACTIVE | JTS | RJS | 07/01/85 | / / | 09/01/85 | 01/29/86 | / / | 08/01/86 | 04/15/86 | / / | 1 | 0 | SLOW SLOPE MOVEMENT. No rush - correction is cost dependent. Preliminary borings requested 9/26/85, received 1/29/86. |
| M804.00.701 | RTE. 6N WALL FAILURE | 2 | E307 | COMPLETED | FA | WSJ | 02/03/86 | / / | / / | / / | / / | / / | 02/03/86 | 02/13/86 | 1 | 1 | STONE RETAINING WALL FAILURE. Recommended replacement with crib type wall. Preliminary cost estimate transmitted 3/18/86. |
| P006.01.801 | ALBANY PORT EVAL. #5 | 2 | E320 | COMPLETED | EDK | JER | 02/01/85 | / / | / / | / / | / / | / / | / / | 03/01/86 | 6 | 5 | Ongoing review of plans & specs for Phase 1 dock rehabilitation. Report #5 out 1/30/86. |
| P006.01.801 | BUFFALO PORT EVALUATION | 2 | E320 | ACTIVE | EDK | JER | 03/01/85 | / / | / / | / / | / / | 04/30/86 | 03/01/86 | / / | 1 | 0 | FINAL DRAFT IN PROGRESS. |
| P006.01.801 | OSWEGO PORT EVALUATION | 2 | E320 | ACTIVE | EDK | JER | 03/01/85 | / / | / / | / / | / / | 05/30/86 | 03/01/85 | / / | 1 | 0 | FINAL REPORT BEING REPRODUCED. |
| P006.01.801 | OGDENSBURG PORT EVAUL. | 2 | E320 | COMPLETED | EDK | JER | 03/01/85 | / / | / / | / / | / / | 05/01/86 | 03/01/85 | 05/10/86 | 1 | 1 | FINAL REPORT IS BEING REPRODUCED. |
| ** Subtotal ** | | | | | | | | | | | | | | | 39 | 19 | |
| ** CATEGORY INSTRUMENTATION | | | | | | | | | | | | | | | | | |
| | ALT RTE 7 NOISE BARRIER | 2 | E354 | INACTIVE | EDK | WSJ | 10/01/84 | / / | / / | / / | / / | / / | / / | / / | 1 | 1 | Monitoring post const movement. Spring reading will be taken in April. If their is no movement,no further readings will be taken unless requested. |

**CURRENT PROJECT STATUS**
**ROADWAY FOUNDATION SECTION**

| PIN | PROJECT | PAY PERIOD NUMBER | FUNCT CODE | STATUS | S E N R | D S N R | PROJ RECVD | PS&E | PLANS RECVD | BORINGS RECVD | LAB DATA RECVD | TARGET COMP DATE | DESIGN STARTED | DESIGN COMPLETE | # PROB IN | # PROB OUT | COMMENTS |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 0045.00. | NASSAU EXPRESSWAY | 2 | E303 | INACTIVE | JTS | RJS | 06/01/85 | / / | / / | / / | / / | / / | / / | / / | 1 | 0 | When construction starts, instrumentation will monitor embankment settlement. |
| 1001.08.101 | RTE. 2 BRUNSWICK-TROY | 2 | E352 | ACTIVE | FA | MJB | 05/01/85 | / / | / / | / / | / / | / / | / / | / / | 1 | 0 | Monitoring wall movement in the spring and fall. |
| 2378.12.311 | M.U.D. 12 | 2 | E304 | ACTIVE | FA | MJB | 03/01/85 | / / | / / | / / | / / | / / | / / | / / | 1 | 0 | Monitoring construction phase. |
| 2378.13.321 | M.U.D. 13 | 2 | E304 | ACTIVE | FA | MJB | 03/01/85 | / / | / / | / / | / / | / / | / / | / / | 1 | 0 | Monitoring construction phase. |
| 2378.14.311 | MUD 14 | 2 | E304 | ACTIVE | FA | MJB | 03/01/85 | / / | / / | / / | / / | / / | / / | / / | 1 | 0 | Monitoring construction phase |
| 2378.15.311 | MUD 15 | 2 | E304 | ACTIVE | FA | MJB | 03/01/85 | / / | / / | / / | / / | / / | / / | / / | 1 | 0 | Monitoring construction phase. |
| 2378.16.311 | M.U.D. 16 | 2 | E304 | ACTIVE | FA | PWB | 12/01/85 | / / | / / | / / | / / | / / | / / | / / | 1 | 0 | Monitoring construction phase. |
| 3022.17.321 | RTE. 38 GROTON LOCKE | 2 | E303 | ACTIVE | JTS | REB | 07/01/85 | / / | / / | / / | / / | / / | / / | / / | 1 | 0 | MONITORING POST-CONSTRUCTION MOVEMENT. NO MOVEMENT AS OF APRIL 1986. |
| 6006.40. | ONEGO BR. CO. LINE | 2 | E352 | BACKLOG | FA | | 06/01/83 | / / | / / | / / | / / | / / | / / | / / | 1 | 0 | SECTION OF HIGHWAY IS BEING MONITORED USING A SLOPE INDICATOR. |
| 9044.22 | RTE 30 N. BLENHEIM | 2 | E352 | BACKLOG | FA | | 06/01/83 | / / | / / | / / | / / | / / | / / | / / | 1 | 0 | BRIDGE SITE 2 IS BEING MONITORED. ARTESIAN WELLS. |
| 9357.15.121 | BORST NOBLE RD | 2 | E303 | ACTIVE | FA | | 06/01/83 | / / | / / | / / | / / | 12/12/87 | / / | / / | 1 | 0 | SLIDE STABILIZATION. Monitoring post construction movement. |
| E351 | PIEZOMETER SPECIFICATION | 2 | E351 | ACTIVE | JCI | EAC | 10/01/85 | / / | / / | / / | / / | 07/18/86 | / / | / / | 0 | 0 | |
| E351 | SCP-7 UPDATE | 2 | E351 | ACTIVE | JCI | HKR | 04/06/83 | / / | / / | / / | / / | 07/31/86 | / / | / / | 0 | 0 | |
| E351 | CABLE SET SYSTEM SPEC | 2 | E351 | ACTIVE | JCI | EAC | 01/01/85 | / / | / / | / / | / / | 08/30/86 | / / | / / | 0 | 0 | |

CURRENT PROJECT STATUS
ROADWAY FOUNDATION SECTION

| PIN | PROJECT | PAY PERIOD NUMBER | FUNCT CODE | STATUS | S E N R | D S N R | PROJ RECVD | PS&E | PLANS RECVD | BORINGS RECVD | LAB DATA RECVD | TARGET COMP DATE | DESIGN STARTED | DESIGN COMPLETE | # PROB IN | # PROB OUT | COMMENTS |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| E353 | MUD INSTRUMENTATION REPOR | 2 | E353 | ACTIVE | JCI | | 11/01/84 | / / | / / | / / | / / | 12/31/86 | / / | / / | 0 | 0 | |
| E353 | WHITESTONE EXPWY REPORT | 1 | E353 | ACTIVE | JCI | EAC | 01/01/86 | / / | / / | / / | / / | 08/30/86 | / / | / / | 0 | 0 | |
| E353 | VANE BORER REPORT | 2 | E353 | ACTIVE | JCI | EAC | 06/29/83 | / / | / / | / / | / / | / / | / / | / / | 0 | 0 | |
| E353 | PRESSUREMETER REVIEW | 2 | E353 | ACTIVE | JCI | RLS | 03/01/86 | / / | / / | / / | / / | / / | / / | / / | 0 | 0 | |
| E354 | 1-D SETT. PROG. DOCUMENTA | 2 | E354 | ACTIVE | JCI | | 03/28/86 | / / | / / | / / | / / | 12/31/86 | / / | / / | 0 | 0 | |
| M304.00.701 | RTE. 212 SHADY | 2 | E352 | BACKLOG | EDK | | 03/01/85 | / / | / / | / / | / / | / / | / / | / / | 1 | 0 | TOP OF WALL IS SURVEYED FOR DISPLACEMENT TWICE A YEAR. DESIGN REPORT TO BE DONE IN THE NEAR FUTURE. |
| ** Subtotal ** | | | | | | | | | | | | | | | 13 | 1 | |
| ** CATEGORY RESEARCH & DEVELOPMENT | | | | | | | | | | | | | | | | | |
| 0735.19.321 | ELASTIZELL STR. CMPARISN | 2 | E401 | COMPLETED | RLS | RLS | 09/01/85 | / / | / / | / / | / / | 09/01/86 | / / | / / | 1 | 0 | Strength comparison between 7 & 28 day set types. Field testing done. Creating database. |
| E303A | MUD 3 REPORT (design) | 2 | E303 | BACKLOG | FA | REG | 12/01/84 | / / | / / | / / | / / | / / | / / | / / | 1 | 0 | 1ST Draft in progress. |
| E303B | MUD 3 REPORT (const.) | 2 | E303 | ACTIVE | FA | RLS | 01/01/86 | / / | / / | / / | / / | / / | / / | / / | 1 | 0 | Stage construction w/wick drains. |
| E352C | TRB MANUAL-FOUNDATIONS #2 | 2 | E353 | ACTIVE | FA | | 02/01/86 | / / | / / | / / | / / | 08/01/86 | / / | / / | 2 | 1 | #1 TRB PAPER out. #2 BUREAU REPORT --Bureau review completed. |
| E353D | DRILL LOG INTERPRETATION | 2 | E353 | ACTIVE | FA | WSJ | 07/01/85 | / / | / / | / / | / / | / / | / / | / / | 1 | 0 | Additional research in progress as of 2/25/86. NO ACTIVITY DURING MAY. |
| E353E | RECHARGE BASINS REPORT | 2 | E353 | BACKLOG | JTS | | 08/01/83 | / / | / / | / / | / / | 12/31/86 | / / | / / | 1 | 0 | RFS WILL COMPLETE MANUAL. |
| E353F | CLAY EMBANKMENT STUDY | 2 | E353 | ACTIVE | EDK | REG | 03/01/85 | / / | / / | / / | / / | 06/30/86 | / / | / / | 1 | 0 | QUESTIONNAIRE RESPONSES EVALUATED. LITERATURE REVIEW COMPLETED. BUREAU TESTING IS BEING EVALUATED. |
| E353G | DUTCH CONE INTERP | 2 | E353 | BACKLOG | FA | | 07/01/85 | / / | / / | / / | / / | / / | / / | / / | 1 | 0 | No ACTIVITY. |

**CURRENT PROJECT STATUS**
**ROADWAY FOUNDATION SECTION**

| PIN | PROJECT | PAY PERIOD NUMBER | FUNCT CODE | STATUS | S E N R | D S N R | PROJ RECVD | PS&E | PLANS RECVD | BORINGS RECVD | LAB DATA RECVD | TARGET COMP DATE | DESIGN STARTED | DESIGN COMPLETE | # PROB IN | # PROB OUT | COMMENTS |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| E353H | CONSTANT RATE OF STRAIN | 2 | E353 | ACTIVE | JTS | RJS | 12/01/85 | / / | / / | / / | / / | 11/01/86 | / / | / / | 1 | 0 | LAB TESTING IN PROGRESS. |
| E353I | Pp VS STRENGTH FOR GRG L | 2 | E353 | ACTIVE | FA | WSJ | 12/01/85 | / / | / / | / / | / / | / / | / / | / / | 1 | 0 | Literature research in progress (2/25/86) |
| E353L | CLOSE SEQ.EXC. & BACKFILL | 2 | E353 | NEW | FA | WSJ | 03/19/86 | / / | / / | / / | / / | / / | / / | / / | 1 | 0 | WAITING FOR REVIEW OF PROJECT SAMPLE BEFORE PROCEEDING. |
| E354 | BMDP STAT. SOFTWARE | 2 | E354 | COMPLETED | EDK | JSD | 04/01/85 | / / | / / | / / | / / | / / | / / | 01/31/86 | 1 | 1 | Users guide for statistical software. |
| E354J | COMPUTER DEVELOPMENT | 2 | E354 | ACTIVE | EDK | REG | 08/01/82 | / / | / / | / / | / / | / / | / / | / / | 1 | 0 | Ongoing |
| E362K | PILE SKIN FRIC. IN CLAY | 2 | E362 | COMPLETED | RLS | RLS | 03/01/84 | / / | / / | / / | / / | 01/01/90 | 09/01/85 | / / | 1 | 0 | Long term study. Literature review in progress. |
| E362K | TRIAX. CU EXTENSION TEST | 2 | E362 | ACTIVE | JTS | | 03/01/86 | / / | / / | / / | / / | / / | / / | / / | 0 | 0 | WORK PLAN IN PREPARATION. |
| ** Subtotal ** | | | | | | | | | | | | | | | 15 | 2 | |
| *** Total *** | | | | | | | | | | | | | | | 67 | 22 | |



# MARS

# IS



# OUT OF THIS WORLD !

MARS
IS



OUT OF THIS
WORLD !